

VASTUARCH DESIGN · 2026

Surface Collection

Acrylic, thermolaminate, cork and translucent stone.
The best of four catalogues, in one book.



ENZO · DESIGN TREE · SLOAN · LUCENTO



INSIDE THIS BOOK

Four surfaces, one palette

Enzo

PAGES 03 - 17

1.5 mm anti-scratch acrylic laminate with a mirror-deep gloss.

- Gloss and matt solids
- Marble and wood prints
- Mirror finishes
- Facts and specifications

Design Tree

PAGES 18 - 33

ONEDTL thermolaminate in full matte and full gloss.

- Solid colours
- Wood, concrete and travertine prints
- Colour recap
- Technical datasheet

Sloan

PAGES 34 - 39

Decorative cork sheet on a HIPS base, 8 ft × 2 ft.

- Nine pattern designs
- Rooms in situ
- Sterlina Design range

Lucento

PAGES 40 - 59

3 mm translucent stone panels that glow when backlit.

- Thirteen designs, unlit and lit
- Where the panels are used
- Rooms in situ


Colours on screen can differ from the real product. Please request physical samples before you specify.

ACRYLIC LAMINATE


Enzo

1.5 mm anti-scratch laminate with a glass-like gloss

- Water resistant
- Termite and borer resistant
- Easy to clean
- Anti-yellow, UV resistant
- 100% pure acrylic



MOVE
with Your Dreams



SMOOTH CLEAN CONTEMPORARY

OUR STORY

We bring the new fashion trend in contemporary homes, encompassing any piece of furniture with a shiny and highly reflective super smooth and polished finish. It looks stunning imagine replicating this look with just about any type of furniture-from bathroom, to glossy living room furniture, to elegant fitted wardrobes in the bedroom. It creates a fabulous contemporary look in any modern house, apartment, showroom, office, restaurant, reception, conference room, retail counter etc.

The unique finish creates a smooth, clean, contemporary and minimalist feel in any home. It brightens up any room by reflecting light instead of absorbing it, by day, as long as there is some sunlight entering the house, your new glossy surfaces will keep the house feeling light and energetic. By night, it reflects artificial light provided by overhead lights and lamps. This adds another dimension to flat or dull spaces and can completely change the look of a room. So go on and use these laminates to create your own masterpieces.



Solid colors, infinite elegance



WATER
RESISTANT

TERMITE / BORER
RESISTANT

EASY
CLEAN


ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate



9101




9102




9104



9216 ★



9201 ★



9222 ★

No Guarantee in Any Circumstances. No crack, bubble, color fade and color variation. Please Check material when delivered.





Pure color, pure sophistication



WATER
RESISTANT

TERMITE / Borer
RESISTANT

EASY
CLEAN

ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate



9117



9103



9116



9209 ★



9219 ★



9220 ★

No Guarantee in Any Circumstances. Use crack, bubble, Color Fade and color variation Please Check material when delivered.

3
4



Simplicity speaks louder in solid tones



WATER
RESISTANT

TERMITE / BORER
RESISTANT

EASY
CLEAN

ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
1 Year Automatic Warranty



9143



9136



9137



9225 ★



9126



9144

No Guarantee in Any Circumstances. Use crack, bubble, Color Fade and color variation Please Check material when delivered.

17
18



Acrylic finishes: the essence of modernity



WATER
RESISTANT

TERMITE / BORER
RESISTANT

EASY
CLEAN


ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminates



9249 ★



9250 ★



9145



9251 ★



9111



9124

No Guarantee in Any Circumstances. Use crack, bubble, Color Fade and color variation. Please Check material when delivered.

19
20



Solid colors bring depth to minimalism



WATER
RESISTANT

TERMITE / Borer
RESISTANT

EASY
CLEAN


ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate




9252 ★



9253 ★



9254 ★



9255 ★



9256 ★



9257 ★

No Guarantee in Any Circumstances. Use crack, bubble, Color Fade and color variation Please Check material when delivered.

21
22



Solid matt colors for dynamic living



WATER
RESISTANT

TERMITE / BOREA
RESISTANT

EASY
CLEAN

ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate

MATT COLLETION



9301



9303



9304



9302



9309



9310

No Guarantee in Any Circumstances. Use crack, Bubble, Color Fade and color Variation Please Check material when delivered.

25
26



Luxury flows where marble goes



WATER
RESISTANT

TERAZZO / BOMBS
RESISTANT


EASY
CLEAN

ANTI-YELLOW
UV RESISTANT


100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminates

MARBLE



9220 ★



9239 ★

No Guarantee in Any Circumstances. Like crack, bubble, color fade and color variation. Please Check material when delivered.

29
30



WATER
RESISTANT



TERMITE / BORER
RESISTANT



EASY
CLEAN




ANTI-YELLOW
UV RESISTANT




100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate

MARBLE



9240 •



9241 •

No Guarantee In Any Circumstances. Like crack, bubble, color fade and color variation. Please Check material when delivered.

33
34



Marble: beauty carved by nature



WATER
RESISTANT



TERMITE / BORER
RESISTANT



EASY
CLEAN




ANTI-YELLOW
UV RESISTANT




100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate

MARBLE



9242



9243

No Guarantee In Any Circumstances. Like crack, bubble, color fade and color variation. Please Check material when delivered.

35
36

Marble speaks the language of luxury



Bring natural wood to life with acrylic's touch



WATER
RESISTANT

TERMITE / BORER
RESISTANT

EASY
CLEAN

ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminates

WOODEN



9231 ★



9235 ★

No Guarantee in Any Circumstances. Like crack, Bubble, Color Fade and color variation Please Check material when delivered.

38
40



The glow of acrylic, the soul of wood



WATER
RESISTANT

TERMITE / BORER
RESISTANT

EASY
CLEAN

ANTI-YELLOW
UV-RESISTANT

100% PURE
ACRYLIC

ÊNZÖ
100% Acrylic Laminate

WOODEN



9232 ★



9235 ★

No Guarantee in Any Circumstances. Like crack, Bubble, Color Fade and color variation Please Check material when delivered.

41
42



WATER
RESISTANT



TERMITE / BORER
RESISTANT



EASY
CLEAN




ANTI-YELLOW
UV RESISTANT




100% PURE
ACRYLIC

ÊNZÖ
100% Pure Acrylic Laminates


MARBLE



GOLD




ROSE GOLD



SILVER



GREY




Mirror finishes: light up your interiors

No Guarantee In Any Circumstances. Like crack, bubble, color fade and color variation. Please Check material when delivered.



FACTS



To avoid de lamination / air bubbles in between ply and laminate the above steps should be taken care of.
Bonding of acrylic sheets shouldn't be completed under high humidity

Reasons for air bubble formations on Acrylic Sheets



Limited Warranty

Enzo Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect properly before installing. ENZO warranty in one way covers defects and non-compliance from or otherwise attributable to any other causes, including without limitation the following:

- Improper handling / transportation / storage of ENZO
- Improper installation of ENZO
- Improper or unintended usage of ENZO
- Improper maintenance of ENZO
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- There will be no guarantee or exchange under any circumstances
- color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purpose only. Actual colors may differ

- Exposure to direct sunlight can greatly affect the laminate's appearance
- Use of inferior or sub-standard dipped plywood or dipped lipping parti, which may chemically react the adhesive.
- Prolonged exposure to high temperature (above 10°C-35°C)
- If hot cookware or utensils are directly placed on the laminate
- To avoid the inside cracks & stretch line do not store acrylic sheet in roll form.



Disclaimer

- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Avoid using inferior quality adhesive
- Apply sufficient pressure
- We do not recommend pasting of sheets on the printed/branding area of the plywood
- Don't use synthetic rubber adhesives such as SR / Jaf Fat, Bostic, Heafex, Etc.



SPECIFICATION

Parameters	Enzo Acrylic Laminate	High Gloss Laminate Mica	PU Coating / Duco Paint	Back Painted Glass
Gloss Level	>90	>20	>85	>85
Scratch Proof	6H Anti Scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

* There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations.
Actual colour of the Acrylic sheet may vary from this brochure.

DIFFERENT
Verity



THERMOLAMINATE

Design Tree

ONEDTL: high-impact, fire-rated and sustainable

- 90° bendable, no edge band needed
- Waterproof and scratch resistant
- Anti-fingerprint and anti-microbial
- UV resistant, fire retardant
- Full matte and full gloss





ABOUT US

DESIGN TREE® is a family-owned company with a mission – To research & develop sustainable and high-performance laminate solutions for the next generation of product design.

Mr. Jagrup P Chowrasia Ji, founded our manufacturing company in 2019 with a profound commitment to environmental sustainability. Inspired by his vision, we invented ONEDTL THERMOLAMINATE® - a revolutionary, high-impact, fire-rated, and sustainable Decorative Thermolaminate that is transforming the industry.

Our state-of-the-art manufacturing facility is designed to optimize the production process, producing products of the highest quality. Our advanced technology and innovative solutions ensure that our customers receive nothing but the best.

WATCH OUR CORPORATE VIDEO TO KNOW MORE
[CLICK HERE](#)



A vibrant, multi-story building facade in Istanbul, featuring a variety of solid colors including green, orange, blue, and yellow. The building is covered in ivy and has many windows with balconies. The text "SOLID COLOURS" is overlaid in large white letters. A color palette is visible on the right side of the image.

[illegible]



FULL MATTE

SOLID

	A	B	C
1			
	DTL 301 FM ALPINE WHITE	DTL 373 FM DESIGNER WHITE	DTL 326 FM DIAMOND GREY
2			
	DTL 303 FM GLACIER WHITE		DTL 329 FM BLACK
3			
	DTL 375 FM MORNING GLORY		DTL 378 FM MIDNIGHT BLACK

FEATURES



90° BONDABLE



WATERPROOF



SUPER MATTE & SOFT TOUCH



SCRATCH RESISTANT



ANTI-MICROBIAL



PTFE FILM
PROTECTED SURFACE



UV RESISTANT



ANTI-FINGERPRINT



ANTI-STAIN



HIGH IMPACT RESISTANCE



PRIMER-COATED BACK
FOR IMPROVED ADHESION



FIRE RETARDANT


SOLID FULL MATTE



SOLID FULLMATE



SOLID FULL MATTE



These laminates are ideal for edging to achieve a seamless finish without dark edges.



- A
- 1 DTL 331 FGU - ANTIQUE ROSE
 - 2 DTL 359 FGU - AUTUMN COPPER
 - 3 DTL 321 FGU - TAUPE
 - 4 DTL 334 FGU - PLUM
 - 5 DTL 336 FGU - PURE YELLOW
 - 6 DTL 329 FGU - BLACK

FULL GLOSS


SOLID

FEATURES

 90° BENDABLE	 WATERPROOF	 HIGH GLOSS
 UV RESISTANT	 ANTI FINGERPRINT	 SCRATCH RESISTANT
 ANTI STAIN	 HIGH IMPACT RESISTANCE	 ANTI MICROBIAL
 PRIMER COATED BACK FOR IMPROVED ADHESION	 FIRE RETARDANT	 PE FILM PROTECTED SURFACE

SOLID FULL GLOSS



	A	B	C
1	 DTL 317 FGU TIMELESS GREY	 DTL 327 FGU MONUMENT GREY  DTL 318 FGU DUSTY GREY	 DTL 340 FGU FIJORD
2	 DTL 326 FGU DIAMOND GREY	 DTL 371 FGU NICKEL GREY	 DTL 349 FGU DENIM  DTL 350 FGU HORIZON BLUE
3		 DTL 323 FGU ROYAL GREY	
4	 DTL 341 FGU SAGE GREEN	 DTL 343 FGU RELAX GREEN	 DTL 346 FGU KOMBU GREEN

SOLID FULL GLOSS

PRINTS

Bring the essence of nature indoors with our collection of printed laminates. We offer a stunning array of designs inspired directly from the natural world, offering a vast selection that complements any design vision. And for those who crave something truly unique, we offer customization options. Let your imagination run wild and create a one-of-a-kind surface that reflects your style.

A

B

1



DTL 3032
BEIGE RUSTER ELM



DTL 3011
WHITE RUSTER ELM

2



DTL 3014
BROWN RUSTER ELM



DTL 3013
CREAM RUSTER ELM



PRINTED FULL MATTE

A



DTL 3003
BURLY WOOD LYON OAK

B



DTL 3002
PARMESAN LYON OAK

2



DTL 3001
BIRGE LYON OAK



ONEDTL™ wooden laminates feature stunning HD prints that authentically capture the richness and intricate details of real wood, including intricate grain patterns, knots, and color variations.







DTL 3043
TRAVERTINE



DTL 3044
TRAVERTINE



DTL 3045
TRAVERTINE

PRINTED FULL GLOSS

FEATURES

- 90° EDGEMOLD
- WATERPROOF
- UV PROTECTED
- ANTI-SCRATCHING
- ANTI-GLARE
- HEAVY IMPACT RESISTANCE
- PREMIER COATED BACK FOR SUPERIOR ADHESION
- FIRE RESISTANT
- MOISTURE RESISTANT
- ANTI-MOLDING
- EXTRA PROTECTIVE FINISH

PRINTED FULL MATTE

C O L O U R R E C A P

FULL MATTE

	A	B	C	D	E	F	G	H	I	J	K	L
1	DTL 303 FM - ALPINE WHITE	DTL 311 FM - DESIGNER WHITE	DTL 309 FM - GLACIER WHITE	DTL 275 FM - MORNING GREY	DTL 304 FM - CREAM	DTL 307 FM - ALABASTER WHITE	DTL 305 FM - VANILLA YELLOW	DTL 312 FM - BEIGE SAND	DTL 313 FM - COPPER TOUCH	DTL 309 FM - PEARL WHITE	DTL 314 FM - MALLARD BIRCH	DTL 317 FM - BUTTERCREAM
2	DTL 300 FM - LIGHT GREY	DTL 311 FM - NEW GREY	DTL 306 FM - SMAR GRAY	DTL 316 FM - PEBBLE GREY	DTL 310 FM - BROWN GREY	DTL 302 FM - TAUPE	DTL 308 FM - AUB GREY	DTL 316 FM - CASHMERE GREY	DTL 309 FM - BRIGHT GREY	DTL 317 FM - TIMBERLIN GREY	DTL 308 FM - DUSTY GREY	DTL 302 FM - DRYX GREY
3	DTL 303 FM - ROYAL GREY	DTL 321 FM - MONUMENT GREY	DTL 311 FM - NICKEL GREY	DTL 318 FM - ABUNDANCE GREY	DTL 340 FM - MUSTARD YELLOW	DTL 338 FM - APRICOT ORANGE	DTL 338 FM - PURE YELLOW	DTL 337 FM - SÃO PAULO YELLOW	DTL 331 FM - TERRACOTTA	DTL 334 FM - MOCCA	DTL 307 FM - CARNEL BROWN	DTL 339 FM - AUTUMN COPPER
4	DTL 303 FM - ANTIQUE ROSE	DTL 334 FM - FLAMINGO PINK	DTL 323 FM - ROSEBUD RED	DTL 304 FM - PLUM	DTL 341 FM - SAGE GREEN	DTL 342 FM - NEW GREEN	DTL 343 FM - RELAX GREEN	DTL 344 FM - KIVA GREEN	DTL 345 FM - PEARL GREEN	DTL 344 FM - KUMBU GREEN	DTL 344 FM - DEEP OCEAN	DTL 352 FM - ARCTIC BLUE
5	DTL 353 FM - FRENCH BLUE	DTL 340 FM - DENIM	DTL 340 FM - FLUENT	DTL 350 FM - HORIZON BLUE	DTL 351 FM - SALVAGE BLUE	DTL 354 FM - DEFT BLUE	DTL 354 FM - LONDON BLUE	DTL 372 FM - VINTAGE BLACK	DTL 378 FM - MONUMENT BLACK	DTL 345 FM - VANILLA GREY	DTL 328 FM - BLACK	

FULL GLOSS

	A	B	C	D	E	F	G	H	I	J	K	L
1	DTL 303 FG - ALPINE WHITE	DTL 311 FG - DESIGNER WHITE	DTL 309 FG - GLACIER WHITE	DTL 275 FG - ALABASTER WHITE	DTL 304 FG - VANILLA YELLOW	DTL 307 FG - PEARL WHITE	DTL 317 FG - BUTTER CREAM	DTL 316 FG - PEBBLE GREY	DTL 305 FG - LUPPER PEARL	DTL 311 FG - NEW GREY	DTL 316 FG - CASHMERE GREY	DTL 318 FG - SMAR GREY
2	DTL 317 FG - MONUMENT GREY	DTL 304 FG - DUSTY GREY	DTL 317 FG - TAUPE GREY	DTL 306 FG - BROWN GREY	DTL 311 FG - NICKEL GREY	DTL 303 FG - ROYAL GREY	DTL 321 FG - TAUPE	DTL 340 FG - AUTUMN COPPER	DTL 341 FG - SAGE GREEN	DTL 343 FG - RELAX GREEN	DTL 344 FG - KUMBU GREEN	DTL 345 FG - FLUENT
3	DTL 354 FG - DENIM	DTL 350 FG - HORIZON BLUE	DTL 353 FG - ANTIQUE ROSE	DTL 354 FG - PLUM	DTL 338 FG - PURE YELLOW	DTL 378 FG - BLACK						

TECHNICAL DATASHEETS

SOLID & PRINTED FM

Test Parameters	Test Method	Unit	Standard Values With Tolerance
Colour Tolerances	ISO 11064-4 Light D65 10° measurement geometry d/8	Standard / Customer Sample	dE _{s0.5} dL _{s0.3} da _{s0.2} db _{s0.3}
Thickness	ASTM D 6988	mm	1mm +/- 2 %
Width	ISO 4592	mm	1220 +/- 2 mm
Length	ISO 4592	mm	2440 mm +/- 10 mm
GSM of Laminate	DIN EN ISO 2286	Gm/m ²	1390 +/- 2 %
Dimensional Stability MD (Longitudinal) @ 140 °C / 5min	ASTM D 1204	%	-3.0 to -7.0
Dimensional Stability TD (Transverse) @ 140 °C / 5min	ASTM D 1204	%	+0.0 to +1.5
Gloss @60 degree	ASTM D 2457	GU	2-5 (Depends Upon Colour)
Impact Strength	ASTM D 2794	N (Newton)	850 +/- 5
Scratch Resistance	DIN 68861/1	Level 4D (Depend On Pattern & Embossing)	4 Newton
Density	ASTM D792	g/cc	1.38 +/- 0.02
Tensile Strength	ASTM D 638	Kg/Cm ²	Min. 550
Elongation At Break	ASTM D 638	%	Min. 10
Abrasion Resistance	DIN 68861/2	Level 2A (Depend On Pattern & Embossing)	More Than 650 No. Of Revolution
Heat Resistance for Embossing (100 deg C)	DTL S100	-	No Visible Change
Chemical Resistance	DIN 68861/1 UNI EN 12720/99	-	≥ Level 1B
Light Fastness	1.DIN 54004 2.DIN 53387	-	≥ 7
Opacity	-	Over Black/White	dE ≤ 0.35
Cross-Cut	DIN EN ISO 2409	-	0
Anti-fingerprint	CE AA 10-85 Internal Test Method	-	I.O.
Resistance To Dry Heat	DIN 68861-7 DIN EN 12722	-	70°C 70c°

Declaration: The above information is based on our current technical knowledge. They neither guarantee specific characteristics of the products or their suitability for a particular application.

*Updated as on Nov 2023

SOLID & PRINTED FGU


Test Parameters	Test Method	Unit	Standard Values With Tolerance
Colour Tolerances	ISO 11064-4 Light D65 10° measurement geometry d/8	Standard / Customer Sample	dE _{s0.5} dL _{s0.3} da _{s0.2} db _{s0.3}
Thickness	ASTM D 6988	mm	1mm +/- 2 %
Width	ISO 4592	mm	1220 +/- 2 mm
Length	ISO 4592	mm	2440 mm +/- 10 mm
GSM of Laminate	DIN EN ISO 2286	Gm/m ²	1390 +/- 2 %
Dimensional Stability MD (Longitudinal) @ 140 °C / 5min	ASTM D 1204	%	-3.0 to -7.0
Dimensional Stability TD (Transverse) @ 140 °C / 5min	ASTM D 1204	%	+0.0 to +1.5
Gloss @60 degree	ASTM D 2457	GU	Min 90 (Depends Upon Colour)
Impact Strength	ASTM D 2794	N (Newton)	850 +/- 5
Scratch Resistance	DIN 68861/1	Level 4D (Depend On Pattern & Embossing)	1.5 Newton
Density	ASTM D792	g/cc	1.38 +/- 0.02
Tensile Strength	ASTM D 638	Kg/Cm ²	Min. 550
Elongation At Break	ASTM D 638	%	Min. 10
Abrasion Resistance	DIN 68861/2	Level 2A (Depend On Pattern & Embossing)	150-350 No. Of Revolution
Heat Resistance for Embossing (100 deg C)	DTL S100	-	No Visible Change
Chemical Resistance	DIN 68861/1 UNI EN 12720/99	-	≥ Level 1B
Light Fastness	1.DIN 54004 2.DIN 53387	-	≥ 7
Opacity	-	Over Black/White	dE ≤ 0.35
Cross-Cut	DIN EN ISO 2409	-	0
Anti-fingerprint	CE AA 10-85 Internal Test Method	-	I.O.
Resistance To Dry Heat	DIN 68861-7 DIN EN 12722	-	70°C 70c°

DECORATIVE CORK SHEET

Sloan

Natural cork surfaces with printed tile patterns

- Base: HIPS
- Size: 8 ft × 2 ft
- Thickness: 1.25 mm
- Nine designs, 1401 – 1409
- Technology by Portugal




SLOAN · CORK SHEET

1401 · 1402

Orange medallion and floral damask patterns, shown in a majlis-style interior.

8 ft × 2 ft · 1.25 mm · HIPS base




SLOAN · CORK SHEET

1403 · 1404

Mandala tiles and a petal lattice,
shown as full-height wall panels.

8 ft × 2 ft · 1.25 mm · HIPS base




SLOAN · CORK SHEET

1405 · 1406

Soft grey patchwork and a bold blue and gold tile mix, shown in a hallway.

8 ft × 2 ft · 1.25 mm · HIPS base




SLOAN · CORK SHEET

1407 · 1408

Warm sunburst and a deep indigo geometric, shown in a lounge niche.

8 ft × 2 ft · 1.25 mm · HIPS base




SLOAN · CORK SHEET

1409

A fine terracotta rosette. Explore the wider Sterlina Design range alongside it.

8 ft × 2 ft · 1.25 mm · HIPS base



OUR PRODUCT RANGE

SELENE
DECORATIVE PRODUCTS

SHINE
KITCHEN

SISU
DECORATIVE PRODUCTS

Stello
METALLIC ART PANEL

STERLINA
CUSTOMISED SIZE
MDF | HDF

Sloan
DESIGNER WALL PANEL

Sidra
LARGE METAL

shannon
LARGE METAL PANEL

STERLINA 3D
WALL PANELS
MDF | HDF

SILENI
DECORATIVE PRODUCTS

STERLINA FLUTED
8' x 12' x 12' x 10' x 10' x 10'


Seona
DECORATIVE PRODUCTS

TRANSLUCENT STONE PANELS

Lucento

3 mm composite stone panels that glow when backlit

- 3 mm thick, 2440 × 1220 mm
- Every design shown unlit and lit
- Feature walls, bar counters, TV tables
- Billing counters and basin counters



WHERE ARE THEY USED?

Five places to let light in



Feature walls



Bar counters



TV table



Billing counters




Basin counter

LUCENTO SLIM

30102

Warm backlit elegance
for premium reception
spaces.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30103

Warm backlit Lucento Slim for elegant restaurant and dining interiors.

3 mm · 2440 × 1220 mm




LUCENTO SLIM

30104

Warm backlit elegance
for luxurious living and
entertainment spaces.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30111

Turning everyday
spaces into illuminated
works of art.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30114

Elegant dining and
luxury residential
interiors.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30115

Premium executive offices and statement workspaces.

3 mm · 2440 × 1220 mm




LUCENTO SLIM

30117

Sophisticated reception
and corporate interiors.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30122

Premium retail and
fragrance boutique
displays.

3 mm · 2440 × 1220 mm




LUCENTO SLIM

30124

Luxurious bar and
hospitality interiors.

3 mm · 2440 × 1220 mm



Warm backlit product
Lucento Slim for ~~luxurious~~ bar and hospitality interiors

LUCENTO SLIM

30129

The same panel unlit and lit.
Backlight turns the dense brown
veining into soft, glowing gold.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30130

Premium elevator
lobbies and
commercial corridors.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30135

Luxurious hotel and
reception
environments.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

30136

Reflections of modern
luxury.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

Light that shapes luxury

Where sophistication shines.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

Elevating interiors with brilliance

A new dimension of elegance.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

Spa and feature walls

Serene spa and wellness receptions, and grand feature walls for statement interiors.

3 mm · 2440 × 1220 mm



LUCENTO SLIM

Healthcare and bathrooms

Premium hospital
receptions, and
timeless elegance for
luxury bathrooms.

3 mm · 2440 × 1220 mm



Backlit Lucento Slim
for premium hospital and healthcare receptions.



Backlit Lucento Slim
bringing timeless elegance to luxury bathroom interiors.

EURO PRATIK · MILLENIUM DECOR

Before you specify

- Colour variance and shading are part of the natural stone look, not defects.
- Use panels from the same batch to avoid colour variation.
- Dimension tolerance is $\pm 5-10\%$.



VASTUARCH DESIGN

Thank you

Ask for physical samples before you choose. Finishes vary slightly by batch and screen, so we recommend ordering all material for one project from the same batch.

