

Products Catalogue

www.sdesignmaster.com
office@sdesignmaster.com
+1 (201) 781-8889

LIGHTING CATALOG

Brighter Spaces. Smarter Energy.

LED Lighting Solutions for
Commercial & Industrial Spaces

A Ceiling Worth Looking Up At.

Slim, suspended, and shaped to your space.

THE LOOK

Architecture, Not Hardware

A slim aluminum profile and a soft lens that hides every diode. No visible bulbs, no sparkle in your eyes across the counter. Choose white to disappear into the ceiling, or black to draw the line on purpose.



THE LIGHT

Point It Down. Or Light the Whole Ceiling.

Switch between direct light for focused work and direct-indirect for a soft upward wash that lifts the entire room. Dial the brightness where you need it, gentle everywhere else.



LED Linear Hanging (Suspended) Light

Modular Suspended System with Adjustable Distribution

Adjustable Power & Color

3 Wattages,
4 Color Temperatures

Direct or Indirect Lighting

Task Light Below, Soft Wash Above.
Adjustable Ratio

Seamless Runs

Tool-Free Press Lock Joints,
Screw-Free End Caps

Four Ways to Mount

Suspended, Surface,
Wall or Recessed



Linear & Architectural

Suspended, direct-indirect and strip systems for commercial use

ITEM NO: 00001





LINEAR & ARCHITECTURAL

LED Wraparound Light

Surface Linear Ceiling Fixture

 POWER OPTIONAL

 5 CCT TUNABLE

 0-10V DIMMABLE

 SENSOR READY

 WR-4FT-46W-L-H

POWER

4FT: 24W | 31W | 38W | 46W

LIGHT EFFICACY

130 LM/W

INPUT VOLTAGE

120V - 277V

CCT

3000K - 6500K



 Libraries

 Schools

 Hallways

Linear & Architectural

Suspended, direct-indirect and strip systems for commercial use



LINEAR & ARCHITECTURAL

LED Linear Hanging Light

Adjustable Up-Light + Down-Light Distribution

UP/DOWN DIRECTION

CCT TUNABLE

0-10V DIMMABLE

SUSPENDED

LF-2FT-25W-L-H

LF-4FT-50W-L-H

LF-8FT-80W-L-H

POWER
2FT: 15W | 20W | 25W

POWER
8FT: 60W | 70W | 80W

POWER
4FT: 40W | 45W | 50W

INPUT VOLTAGE
120V - 277V



- ✓ Open Offices
- ✓ Meeting Rooms
- ✓ Collaboration Spaces
- ✓ Architectural Lighting Schemes



LINEAR & ARCHITECTURAL

LED Linear Hanging Light

Modular Suspended System with Adjustable Distribution

DIRECT / INDIRECT

CCT FIELD-ADJUSTABLE

0-10V DIMMABLE

SUSPENDED

LF-2FT-25W-L-H

LF-4FT-50W-L-H


LF-8FT-80W-L-H

POWER
2FT: 15W | 20W | 25W

POWER
8FT: 60W | 70W | 80W

POWER
4FT: 40W | 45W | 50W

CCT
3500K - 6500K



- ✓ Architectural Office
- ✓ Hospitality Interiors
- ✓ Continuous Linear Patterns



LINEAR & ARCHITECTURAL

LED Linear Strip Light

High-Efficacy Commercial Strip

5 POWER

5 CCT TUNABLE

0-10V DIMMABLE

SENSOR READY

GL-ST01-70W-H-XXXXK

GL-ST03-100W-H-XXXXK

POWER
4FT: 30W | 40W | 50W | 60W | 70W

POWER
8FT: 60W | 70W | 80W | 90W | 100W

INPUT VOLTAGE
120V - 277V

CCT
3000K - 6500K



- ✓ Retail Aisles
- ✓ Grocery Environments
- ✓ Commercial Back-of-House
- ✓ Industrial Spaces

Linear & Architectural

Suspended, direct-indirect and strip systems for commercial use



LINEAR & ARCHITECTURAL

LED Linear Strip Light

High-Efficacy Commercial Strip



- ST-4FT-40W-L-H
- ST-8FT-80W-L-H

POWER 4FT: 30W 35W 40W	POWER 8FT: 60W 75W 80W
INPUT VOLTAGE 120V - 277V	CCT 3500K - 6500K



- ✓ Retail Aisles
- ✓ Grocery Environments
- ✓ Commercial Back-of-House
- ✓ Industrial Spaces



LINEAR & ARCHITECTURAL

LED Linear Hanging Light

High-Output Retail and Industrial Runs



- GL-ST03-126W-H-XXXXK
- GL-ST03-127W-H-XXXXK

POWER 4 ft / 8ft 80W 90W 100W 110W 126W 127W	INPUT VOLTAGE 120V - 277V
CCT 3000K - 6500K	LUMEN EFFICIENCY 150 LM/W



- ✓ Retail Aisles
- ✓ Grocery Environments
- ✓ Commercial Back-of-House
- ✓ Industrial Spaces



LINEAR & ARCHITECTURAL

LED Linear Vapor Tight

Sealed Fixture for Demanding Environments



- GL-ST01-70WHY-XXXXK
- GL-ST03-100WHY-XXXXK

POWER 4FT 20W 40W 50W 60W 70W	POWER 8FT 60W 70W 80W 90W 100W
INPUT VOLTAGE 120V - 277V	CCT 3000K - 6500K



- ✓ Parking Garages
- ✓ Washroom Areas
- ✓ Utility Zones

Brighter Spaces. Smarter Operations.

High-performance LED lighting built to deliver powerful, dependable illumination where your business needs it most.

Brighter Coverage

Bright, dependable lighting that keeps your space ready for work.

From warehouses and workshops to garages and large commercial spaces, this high-output LED fixture delivers the visibility you need to keep people moving, working, and productive.

A Smarter Way To Light Up Your Business

Designed for demanding environments, high-output LED lighting provides the visibility, flexibility, and efficiency needed for warehouses, workshops, garages, production areas, commercial facilities, and other large spaces.



UFO High Bay Light

Get the brightness your space needs without using more than necessary.



Flexible Brightness

Adjusts to suit different spaces and lighting needs

Built for Demanding Spaces

Reliable for everyday commercial and industrial use.

Smart Energy Use

Helps reduce unnecessary lighting and energy waste.

Wide, Powerful Coverage

Delivers strong, even illumination across large open areas

Industrial & High Bay

High-output fixtures for warehouses, manufacturing and large-volumes spaces



INDUSTRIAL & HIGH BAY

LED UFO High Bay UFO5 SERIES

Power + CCT Tunable with High-Output Optical System



- HYA-UFO5-150W-H-3WCCT
- HYA-UFO5-240W-H-3WCCT
- HYA-UFO5-300W-H-3WCCT

POWER 150W / 240W / 300W	CCT 3500K 4000K 5000K
DIMMABLE 0-10V Dimming	LUMEN EFFICIENCY 170 LM/W



- ✓ Warehouses
- ✓ Large Retail/Industrial Spaces



INDUSTRIAL & HIGH BAY

LED UFO High Bay UFO6 SERIES

Power + CCT Tunable with High-Output Optical System



- HYA-UFO6-150W-110-H-TWCCT
- HYA-UFO6-240W-110-H-TWCCT
- HYA-UFO6-300W-110-H-TWCCT

POWER 150W / 240W / 300W	CCT 4000K - 5000K
DIMMABLE 0-10V Dimming	LUMEN EFFICIENCY 135 LM/W



- ✓ Warehouses
- ✓ Large Retail/Industrial Spaces



INDUSTRIAL & HIGH BAY

Tunable UFO High Bay

Power Tunable with High-Output Optical System



- UFO-300W-L-H
- UFO-300W-H-H

POWER 200W 240W 300W	CCT 4000K - 6500K
INPUT VOLTAGE 120V - 277V 277V - 480V	LUMEN EFFICIENCY 150 LM/W



- ✓ Warehouses
- ✓ Large Retail/Industrial Spaces

Industrial & High Bay

High-output fixtures for warehouses, manufacturing and large-volumes spaces



INDUSTRIAL & HIGH BAY

Tunable UFO High Bay

Power + CCT Tunable with High-Output Optical System

150 - 240 WATTS

3 CCT TUNABLE

IP65

60° | 90° | 120°

GL-UFO-Y2-240 Power Tunable

POWER
150W / 200W / 240W

CCT
3000K | 4000K | 5000K

INPUT VOLTAGE
120V - 277V

LUMEN EFFICIENCY
170 LM/W



✓ Warehouses
✓ Large Retail/Industrial Spaces



INDUSTRIAL & HIGH BAY

Tunable UFO High Bay

Power Tunable with High-Output Optical System

100 - 240 WATTS

3 DIFFERENT POWER

IP65

60° | 90° | 120°

GL-UFO-Y1-100

GL-UFO-Y2-200

GL-UFO-Y1-150

GL-UFO-Y2-240

POWER
100W | 150W | 200W | 240W

CCT
4000K - 5700K

INPUT VOLTAGE
120V - 277V | 277V - 480V

LUMEN EFFICIENCY
150 LM/W



✓ Warehouses
✓ Large Retail/Industrial Spaces



INDUSTRIAL & HIGH BAY

Tunable UFO High Bay

Power Tunable with High-Output Optical System

200 - 300 WATTS

3 DIFFERENT POWER

IP65

60° | 90° | 120°

UFO-300W-L-H

UFO-300W-H-H

POWER
200W | 240W | 300W

CCT
4000K - 6500K

INPUT VOLTAGE
120V - 277V | 277V - 480V

LUMEN EFFICIENCY
150 LM/W



✓ Warehouses
✓ Large Retail/Industrial Spaces

Powerful Light. Built for Bigger Spaces.

Bright, dependable illumination designed to keep large spaces productive, comfortable, and ready for whatever comes next.



LED Linear High Bay Light

Create a lighting environment that works around people, activity, and changing operational needs.

Flexible Light Output

Adjust the lighting to suit different spaces, tasks, and everyday needs.

Comfortable, Consistent Light


Clean, even lighting creates brighter, more comfortable spaces.

Smart-Ready Performance

Compatible with lighting controls and motion sensing

Built for the Long Run

Reliable construction backed by a 5-year warranty




More Control. More Possibilities.

Different spaces have different lighting needs. Adjustable output and light settings give you greater flexibility to create the right environment without changing fixtures.

Smarter Lighting for Everyday Operations

Optional sensing and lighting controls can help make illumination more responsive to how a space is actually being used.



Industrial & High Bay

High-output fixtures for warehouses, manufacturing and large-volumes spaces



INDUSTRIAL & HIGH BAY


LED Linear High Bay

Power + CCT Tunable with High-Output Optical System



GL-HB11-300W-L

POWER 255W 275W 300W	CCT 4000K - 5000K
INPUT VOLTAGE 120V - 277V	LUMEN EFFICIENCY 140 LM/W



- ✓ Warehouses
- ✓ Gymnasiums
- ✓ Industrial Spaces



INDUSTRIAL & HIGH BAY

LED Linear High Bay

Power + CCT Tunable | High-Output Warehouse Platform



- 2FTLHBB-220WLHY-XXXXK
- 4FTLHBB-325WLHY-XXXXK
- High-Voltage Variants

POWER 2FT: 120W 165W 220W	POWER 4FT: 120W 165W 220W
INPUT VOLTAGE 120V - 277V 277V - 480V	LUMEN EFFICIENCY 170 LM/W



- ✓ Warehouses
- ✓ Gymnasiums
- ✓ Industrial Spaces



INDUSTRIAL & HIGH BAY

LED Linear High Bay

Power + CCT Tunable | High-output Warehouse Platform



- GL-HB5-165W-L
- GL-HB6-220W-L
- GL-HB11-320W-L

165W MODEL 110W 130W 165W	220W MODEL 180W 200W 220W
320W MODEL 225W 275W 320W	INPUT VOLTAGE 120V - 347V



- ✓ Warehouses
- ✓ Gymnasiums
- ✓ Industrial Spaces




Better Light Changes The Space

A modern lighting solution designed to complement the space while delivering the illumination people need every day.

More Control. Less Compromise

Different spaces have different lighting needs. Flexible light settings make it easier to create the right environment without changing the entire fixture.



Back-Lit LED Panel Light

Create a lighting environment that works around people, activity, and changing operational needs.

Customize Your Light

Choose the brightness and light tone that best suits the space.

Smooth, Even Illumination

Enjoy comfortable lighting with fewer harsh spots and shadows.

Control the Atmosphere

Adjust lighting levels to match different activities and environments.

Built for Everyday Use

Dependable illumination designed for demanding commercial spaces.

Panels & Troffers

Recessed and low-profile ceiling systems for offices, education and healthcare



PANELS & TROFFERS

LED Slim Panel

Power + CCT Tunable Ceiling Panel Family



- BPL5-22-40W-L-H
- BPL5-14-40W-L-H

- BPL5-24-72W-L-H

SIZES
1x4 FT | 2x2 FT | 2x4 FT

POWER
20W-40W | 30W-72W by size

INPUT VOLTAGE
120V - 277V

CCT
3000K | 3500K | 4000K | 5000K | 6500K



- ✓ Education
- ✓ Healthcare
- ✓ Office



PANELS & TROFFERS

LED Panel Retrofit Kit

Retrofit Kit for Existing Troffers



- BPLK-22-32W-L-H
- BPLK-14-32W-L-H

- BPLK-24-43W-L-H

SIZES
1x4 FT | 2x2 FT | 2x4 FT

POWER
16W | 19W | 26W | 32W
22W | 30W | 36W | 43W

INPUT VOLTAGE
120V - 277V

CCT
3000K | 3500K | 4000K | 5000K | 6500K



- ✓ Education
- ✓ Healthcare
- ✓ Office



PANELS & TROFFERS

LED Troffer Retrofit Kit

Retrofit Kit for Existing Troffers



- TRK-22-30W-L-H
- TRK-24-35W-L-H

POWER
2x2 FT | 2x4 FT

POWER
20W | 25W | 30W
25W | 30W | 35W

INPUT VOLTAGE
120V - 277V

CCT
3500K | 4000K | 5000K



- ✓ Education
- ✓ Healthcare
- ✓ Office



Light More With Less

Modern lighting designed to work beautifully across residential and commercial spaces.

Clean Ceilings. Better Light.

Modern illumination without the bulk of traditional recessed fixtures.



Lighting Without Limits

A versatile solution for renovations, new construction, and property upgrades.



Round Slim Panel

Minimal in appearance.
Versatile in application.
Designed to create comfortable, evenly illuminated interiors without adding visual clutter overhead.

Ultra-Slim Design

Clean, low-profile lighting that keeps ceilings looking modern.

Choose Your Light

Five selectable light tones for different rooms, and moods.

Smooth Dimming

Adjust the brightness for comfort, productivity, or ambiance.

Ready for Damp & Wet Areas

A versatile choice for bathrooms, laundry rooms, porches, garages.

Panels & Troffers

Recessed and low-profile ceiling systems for offices, education and healthcare



PANELS & TROFFERS


LED Troffer Light

Recessed Commercial Troffer with Tunable Output



- TTR5-22-40W-L-H
- TTR5-24-72W-L-H

SIZES 2x2 FT 2x4 FT	POWER 20W-40W 30W-72W
INPUT VOLTAGE 120V - 277V	CCT 3000K 3500K 4000K 5000K 6500K



- ✓ Offices
- ✓ Educational & Retail
- ✓ Commercial & Institutional



PANELS & TROFFERS

Fire Rated Round Slim Panel

Fire-Rated Downlights



- RP-4E9W-5CTWH-FR
- RP-4E12W-5CTWH-FR
- RP-6E12W-5CTWH-FR
- RP-6E15W-5CTWH-FR

SIZES 4 IN 6 IN	POWER 4 IN: 9W 12W 6 IN: 12W 15W
LUMENS 4 IN: 630lm 900lm 6 IN: 960lm 1200lm	CCT 2700K 3000K 3500K 4000K 5000K



- ✓ Wet-Location Rated
- ✓ Bathrooms / Laundry Rooms
- ✓ Garage Work Rooms
- ✓ Covered Porches



PANELS & TROFFERS

Round Slim Panel

Ultra-Slim Edge-Lit Downlight for 4" and 6" Openings



- RP-4E9W-5CTWH
- RP-6E12W-5CTWH

SIZES 4 IN 6 IN	POWER 9W 12W
INPUT VOLTAGE 120V / 60 HZ	CCT 2700K 3000K 3500K 4000K 5000K



- ✓ Wet-Location Rated
- ✓ Bathrooms / Laundry Rooms
- ✓ Garage Work Rooms
- ✓ Covered Porches


Seamless Light. Built-In Fire Protection.

Slim, even illumination with a 2-hour fire rating.
Designed for comfort, versatility, and everyday spaces.



Five Shades. One Fixture.

Choose 2700K, 3000K, 3500K,
4000K or 5000K to create the right
atmosphere for your space.



Made for Everyday Spaces.

Wet-location rated for bathrooms
laundry rooms, porches, and
garage work areas

Fire Rated LED Recessed Downlight

A simple profile. Comfortable light.
Available in 4-inch and 6-inch sizes.



2-Hour Fire Rating

Tested to UL 263, ASTM
E119, and CAN ULC S101

Selectable Light Color

Five color temperatures.
2700k to 5000K

Smooth Dimming

10-100% brightness, with
compatible TRIAC dimmers

Built to Last

50,000 + hours lifespan.
5-year limited warranty

Panels & Troffers

Recessed and low-profile ceiling systems for offices, education and healthcare



PANELS & TROFFERS


LED Premium Panel Light

DLC Premium Edge-Flat Panel



- PL-30W-66-28-TG-01
- PL-40W-123-28-TG-09
- PL-50W-126-28-TG-01

SIZES 1x4 FT 2x2 FT 2x4 FT	POWER 30W 40W 50W 72W
INPUT VOLTAGE 100V - 277V	LIGHT EFFICACY 130 LM/W



- ✓ Commercial Offices
- ✓ Grid Ceilings



PANELS & TROFFERS


Architecture LED Troffer

Premium Back-Lit Architectural Troffer



- BTR-22-32W-L-H
- BTR-24-43W-L-H

POWER 2X2 FT: 16W 19W 26W 32W	POWER 2X4 FT: 22W 30W 36W 43W
INPUT VOLTAGE 120V - 277V	CCT 3000K 3500K 4000K 5000K 6500K



- ✓ Offices
- ✓ Educational & Retail
- ✓ Commercial & Institutional



PANELS & TROFFERS

Back-Lit LED Troffer

High-Efficiency Grid Ceiling Troffer



- BTR-22-32W-L-H
- BTR-24-43W-L-H

POWER 2X2 FT: 16W 19W 26W 32W	POWER 2X4 FT: 22W 30W 36W 43W
INPUT VOLTAGE 120V - 277V	CCT 3000K 3500K 4000K 5000K 6500K



- ✓ Offices
- ✓ Educational & Retail
- ✓ Commercial & Institutional

Outdoor & Area

Area, canopy and site lighting for parking, roadways and fueling applications



OUTDOOR & AREA

LED Shoebox Light

Power and CCT Tunable



○ SXT-300W-H-H-5000K

LUMEN EFFICIENCY 150 lm/w	POWER 200W 240W 300W
INPUT VOLTAGE 120V - 277V	CCT 4000K 5000K 6500K



- ✓ Parking Lots
- ✓ Sport Courts
- ✓ Road



OUTDOOR & AREA

LED Shoebox Light Series

Power and CCT Tunable



○ SXT-200W-H-H-XXXX


○ SXT-300W-H-H-XXXX

○ SXT-400W-H-H-XXXX

LUMEN EFFICIENCY 150 lm/w	POWER 200W 300W 400W
INPUT VOLTAGE 120V - 347V	CCT 4000K 5700K



- ✓ Parking Lots
- ✓ Sport Courts
- ✓ Road



OUTDOOR & AREA

LED Garage & Canopy Light

100W Power and CCT Tunable. Canopy Fixture for Fuel Stations



○ GL-CP3-100W-H-5000K

LUMEN EFFICIENCY 140 lm/w	POWER 40W 60W 80W 100W
INPUT VOLTAGE 120V - 277V	CCT 3000K 4000K 5000K



- ✓ Petroleum Canopies
- ✓ CNG Fueling Stations
- ✓ Coffits

Panels & Troffers

Recessed and low-profile ceilings systems for offices, education and healthcare



OUTDOOR & AREA

LED Garage & Canopy Light

200W Power and CCT Tunable. High-Output Canopy Fixture

0-10V DIMMABLE

IP RATING: WET LOCATION

- GL-CP3-200W-H-4000K
- GL-CP3-200W-H-5000K

- GL-CP3-200W-H-5700K
- GL-CP3-200W-H-6500K

LUMEN EFFICIENCY
150 lm/w

POWER
40W | 60W | 80W | 100W

INPUT VOLTAGE
120V - 277V

CCT
4000K | 5000K | 5700K | 6500K



- ✓ Gas Stations
- ✓ Large Covered Exteriors



OUTDOOR & AREA

LED Wall Pack Light

Exterior Wall-Mounted Security Lighting

POWER TUNABLE

CCT TUNABLE

0-10V DIMMABLE

IP RATING: WET LOCATION

- GL-WP2-60W-HY-5000K
- GL-WP4-120W-HY-5000K

LUMEN EFFICIENCY
150 lm/w

POWER
40W | 50W | 60W
80W | 100W | 120W

INPUT VOLTAGE
120V - 277V

CCT
3000K | 4000K | 5000K



- ✓ Building Facades
- ✓ General Outside Lighting
- ✓ Security



OUTDOOR & AREA

Post Top Light

Decorative Pole-Top Area Fixture

POWER TUNABLE

CCT TUNABLE

IP RATING: WET LOCATION

- GL-SX4-150WH-XXXXK

LUMEN EFFICIENCY
150 lm/w

POWER
50W | 80W | 100W | 120W | 150W

INPUT VOLTAGE
120V - 277V

CCT
3000K | 4000K | 5000K



- ✓ Bicycle Paths
- ✓ Parking Lots
- ✓ Parks
- ✓ Yards



Emergency & Control

Area, canopy and site lighting for parking, roadways and fueling applications



EMERGENCY & CONTROL Emergency LED Driver

For Wiring to the LED Driver's Input

- HIGH VOLTAGE OUTPUT
- CONSTANT OUTPUT POWER
- LOW ENERGY CONSUMPTION

EMH-XX170-FY

BATTERY LI-ION	EMERGENCY POWER 8W 18W	
INPUT VOLTAGE 100V ~ 277V	RECHARGE TIME 24 HRS	DISCHARGE TIME 90 MINS



- ✓ UFO / Linear LED High Bays
- ✓ Wet-Location Linears



EMERGENCY & CONTROL Emergency LED Driver

For Wiring to the LED Driver's Input

- HIGH VOLTAGE OUTPUT
- SUPER MINI
- LOW ENERGY CONSUMPTION

EMY-04058DO-U1 EMY-04058DO-U3
EMY-04150DO-U1 EMY-04150DO-U3

BATTERY	LI-ION: 3.6V/2550mAh LiFePO4: 3.2V/3200mAh	EMERGENCY POWER	4W
INPUT VOLTAGE	100V ~ 277V	RECHARGE TIME	DISCHARGE TIME
		24 HRS	90 MINS



- ✓ Slim Edge-Lit Panels
- ✓ Surface-Mount Discs

Controls & Sensors

Smart lighting automation for occupancy detection, daylight response, energy savings, and effortless control



CONTROLS & SENSORS

Integrated Slim PIR Sensor

Slim PIR occupancy sensor with daylight harvesting and LLLC-ready control.



- HSE-SP5L-2
- HSE-BSP5L-2

INPUT VOLTAGE
DC 10-15V

DETECTION ANGLE
FRESNEL LENS

IP RATING
IP20

DETECTION RANGE
2-4M (6.56-13.12FT)



CONTROLS & SENSORS

Smart Remote Control

LCD remote controller for sensor programming and scene memory setup.



- HD06R

POWER
2 x AAA Battery (2.2-3V)

RANGE
UP TO 15M / 49FT

SIGNAL
38kHz IR

OPERATING TEMPERATURE
-20°C to +60°C



CONTROLS & SENSORS

Microwave High Bay Sensor

Microwave sensor for UFO high bay fixtures with bi-level dimming.



- HD07VR-MH-1

INPUT VOLTAGE
12VDC

MOUNT HEIGHT
UP TO 12M / 39FT

IP RATING
IP65

OPERATING TEMPERATURE
-40°C ~ +60°C

Controls & Sensors

Smart lighting automation for occupancy detection, daylight response, energy savings, and effortless control



Controls & Sensors

Smart lighting automation for occupancy detection, daylight response, energy savings, and effortless control



CONTROLS & SENSORS

Luminaire Mount

Fixture-mounted PIR sensor with daylight harvesting for Smart Luminaire Control.

SMALL FORM FACTOR

DAYLIGHT HARVESTING

PIR MOTION DETECTION

INDOOR USE ONLY

IFS108-AUX.B1

SC05

INPUT VOLTAGE
DC 12V

BLUETOOTH TRANSMIT
100FT MAX

IP RATING
IP20



CONTROLS & SENSORS

Integrated Oval 12V Panel Sensor

Low-voltage sensor engineered for seamless luminaire integration

LOW-PROFILE DESIGN

DAYLIGHT HARVESTING

PIR MOTION DETECTION

BLUETOOTH CONNECTIVITY

IFS108.B1

IFS108.B2

IFS108.C1

INPUT VOLTAGE
DC 12V

MOUNTING HEIGHT
18FT MAX

IP RATING
IP20



CONTROLS & SENSORS

RM51 Remote

IR controller for Keilton Basic sensors

LOW POWER CONSUMPTION

INFRARED

CUSTOM CONFIGURATIONS

FOR KEILTON SENSORS G2

RM51.A0

SIGNAL
INFRARED

RANGE
UP TO 40FT

IP RATING
IP20

HOUSING MATERIAL
PLASTIC