Apollo Analytical
Peptide Identity & Purity Verification

Report #:	AA-2026-0053.0251
Issued:	2026-09-16

CERTIFICATE OF ANALYSIS

SUBMISSION

Customer / Submitter	Klerion Biotech
Date Submitted	2026-09-09
Date Tested	2026-09-14

SAMPLE IDENTIFICATION

Product / Peptide	MOTS-c
Batch Number	2026-0820-01

SAMPLE PHOTO



ANALYTICAL RESULTS

Test	Result	Method
HPLC Purity	99.46%	UHPLC/Diode Array
Milligrams per Vial	10.88 mg	
Bacterial Endotoxin	< 0.75 EU	LAL
Fentanyl Screen	Not Detected	LC-MS/MS
Heavy Metals	Pb (Lead): ND; As (Arsenic): ND; Cd (Cadmium): ND; Hg (Mercury): ND	ICP-MS


Apollo Analytical

Peptide Identity & Purity Verification

HPLC PURITY / DIODE ARRAY



MASS SPEC DATA



CONCLUSION: Meets Specifications

Tested by:	BK/AS
Date:	2026-09-16

Scan to verify

AA-2026-0053.0251

These results are provided for Research and Development (R&D) use only and are not intended to support claims that the tested product(s) are fit for human consumption or clinical application. Data applies exclusively to the specific sample(s) as received. Unauthorized reproduction, alteration, or use of this report for marketing or promotional purposes is strictly prohibited.