مشاريع



فنون التشطيب وأناقة التفاصيل .. خامات فاخرة وتصاميم تصنع الفرق

اكتشفوا عالمًا من الإبداع في تكسيات الجدران والديكورات الداخلية، حيث تلتقي فخامة الخامات بجمال التصميم لتمنح المساحات طابعًا استثنائيًا. نقدم مجموعة متنوعة من الخامات الرخامية، والألواح الديكورية، والتشطيبات العصرية التي تضفي على الجدران والأسطح لمسات من الأناقة والتميز

من التصاميم المستوحاة من جمال الرخام الطبيعي إلى الحلول الديكورية الحديثة، نوفر خيارات متعددة تناسب مختلف الأذواق وتنسجم مع أنماط التصميم الكلاسيكي والعصري، لتتحول كل مساحة إلى تجربة بصرية تجمع بين الجمال والرقي

تفاصيل ترتقي بمساحاتكم، وخامات تمنح تصاميمكم حضورًا لا يُنسى



CONTENTS

01 PVC CEILING+PVC CORNER

P1 PVC ceiling
P5 PVC corner
P6 PVC Square ceiling
P7 Screw /Ceiling T grid

02 PVC WALL PANEL + PVC ACCESSORIES

P8 PVC wall panel
P10 PVC Corner lines

03 WPC WALL PANEL+WPC CORNER+ BUCKLE ACCESSORY

P11 WPC wall panel (hollow type)
P13 WPC end corner
P13 Buckles accessories

04 WPC WALL PANEL+METAL LINES

P14 WPC wall panel (solid sheet type)
P16 Metal lines

05 PVC UV MARBLE PANEL+ METAL LINES

P17 PVC UV Marble Panel
P19 Accessories Metal lines

06 PVC 3D SQUARE WALL PANEL+ 3D WALL STICKER

P20 PVC 3D Square wall panel
P23 3D wall sticker

07 SPC FLOORING + ACCESSORIES + PVC FLOORING

P27 SPC Click flooring / Vinyl flooring
P31 SPC accessories
P32 PVC self-adhesive flooring

PVC CEILING



Size : Thickness: 5mm/ 5.5/ 6/ 7/ 7.5 / 8/ 9/ 10 mm
Width: 20cm/ 25cm/ 30cm
Length: 2.95m/ 5.8m/ 5.9m/ 6.4m or according customer request

Surface : Printing, Hot stamping,Laminated
Type : Flat, Middle groove, U groove, V groove,Waves
Main raw material : PVC and Calcium carbonate powder


HM-01


HM-02


HM-03


HM-04


PVC CEILING (LAMINATED)


HM-05


HM-06


HM-07


HM-08


HM-09


HM-10


HM-11



HM-12


HM-13


HM-14


HM-15


HM-16


HM-17


HM-18


HM-19


HM-20


HM-21


HM-22


HM-23



HM-24


PVC CEILING (PRINTING)


HM-25


HM-26



HM-27


HM-28


HM-29


HM-30


HM-31


HM-32


HM-33


HM-34


HM-35


HM-36


HM-37


HM-38


HM-39


HM-40


HM-41


HM-42


HM-43



HM-44


PVC CEILING (HOT STAMPING)


HM-45


HM-46



HM-47



HM-48


HM-49


HM-50



HM-51


HM-52


HM-53


HM-54


HM-55


HM-56


HM-57


HM-58


HM-59


HM-60


HM-61



HM-62



HM-63


HM-64


PVC CORNER


Accessories for installing the PVC ceiling



HM-65


HM-66


HM-67



HM-68



HM-69


HM-70


HM-71



HM-72


HM-73


HM-74


HM-75



HM-76



HM-77



HM-78



HM-79


HM-80


HM-81


HM-82


HM-83


HM-84


PVC SQUARE CEILING


Main size : 7mm×595mm×595mm
7mm×603mm×603mm
7mm×603mm×1210mm



HM-85


HM-86


HM-87


HM-88



HM-89


HM-90


HM-91


HM-92


HM-93


HM-94


HM-95



HM-96


HM-97


HM-98


HM-99


HM-100


HM-101


HM-102


HM-103


HM-104

SCREW(INSTALLTION CEILING)



HS-01



HS-02



HS-03



HS-04



HS-05



HS-06




HS-07




HS-08

CEILING T GRID


Flat paint type for installing the Square PVC ceiling




HT-01



HT-02



HT-03



PVC WALL PANEL





Popular size : 9mmx400mm
6mmx400mm
8mmx400mm
more size workable too

Length : 2.97m, 3.0m 4.0m
or according customer request

PVC wall panel a type of Integrated wall panel widely used in wall decoration,main raw material are PVC and Calcium, easy to install and cleaning, also be waterproof, fire resistant and environmental friendly.

PVC WALL PANEL



HM-105


HM-106


HM-107


HM-108


HM-109


HM-110


HM-111


HM-112


HM-113


HM-114


HM-115


HM-116


HM-117


HM-118


HM-119


HM-120


HM-121


HM-122


HM-123



HM-124

PVC CORNER LINES


35 LINES


60 LINES


70 WINDOW FRAME


TOP 100



70 WINDOW FRAME


80 LINES


80 LINES


SKRITING 100


SKRITING 100



TOP 80


TOP 80


TOP 100



40 INTERNAL


40 INTERNAL



L CORNER


L CORNER


U LINES


35 WAIST


50 WAIST


SKRITING

WPC WALL PANEL(HOLLOW TYPE)



product display


Item: JK142 Size: 17mmx142mm
Weight: 900g/m Length: 2.9m or customized



Item: JK150 Size: 12mmx150mm
Weight: 900g/m Length: 2.9m or customized




Item: JK160-2 Size: 23mmx160mm
Weight: 1070g/m Length: 2.9m or customized




WPC WALL PANEL(HOLLOW TYPE)


Item: LK160-1 Size: 15mmx160mm
Length: 2.9m or customized




Item: JK195 Size: 14mmx195mm
Weight: 950g/m Length: 2.9m or customized




Item: LK195-1 Size: 25mmx195mm
Length: 2.9m or customized




Item: LK195-2 Size: 25mmx195mm
Length: 2.9m or customized




Item: JS200-1 Size: 10mmx200mm
Weight: 1050g/m Length: 2.9m or customized




Item: JS200-2 Size: 13mmx200mm
Weight: 1200g/m Length: 2.9m or customized




Item: LK100-1 Size: 50mmx100mm
Length: 2.9m or customized



Item: LK50-1 Size: 50mmx50mm
Length: 2.9m or customized




Item: LK45-1 Size: 45mmx40mm
Length: 2.9m or customized





WPC END CORNER


HM-125



HM-126



HM-127


HM-128


END CORNER-160


END CORNER-160


END CORNER-160


END CORNER-200

BUCKLES ACCESSORIES






Stainless steel clips, product pictures and installation details







WPC WALL PANEL(SOLID SHEET TYPE)





product display


Hot selling size :
Thickness : 5mm/8mm/10mm
Width: 1.22m
Length : 2.9m/3.0m others size available too

Hot designs



HM-129


HM-130


HM-131


HM-132


HM-133


HM-134


HM-135


HM-136



HM-137




HM-138




HM-139



HM-140



HM-141




HM-142




HM-143



HM-144



HM-145



HM-146


HM-147



HM-148



HM-149



HM-150



HM-151




HM-152



HM-153



HM-154



HM-155




HM-156

Metal Accessories


8mm panel
A type


8mm panel
B type 1


8mm panel
B type 2


L type



Moulding



Skirting


T type


U type

End Edge Corner






Hjoint





Double HJoint





Internal Corner





External Corner





Strip Light





PVC UV MARBLE PANEL



Main Size:
Thickness: 2.8mm/2.9mm/3.0mm
Width: 1.22m
Length : 2.44m/2.8m/2.9m



HM-UV01



HM-UV02



HM-UV03




HM-UV04

product display

PVC UV MARBLE PANEL




HM-UV05



HM-UV06



HM-UV07



HM-UV08



HM-UV09



HM-UV10




HM-UV11



HM-UV12



HM-UV13




HM-UV14



HM-UV15




HM-UV16



HM-UV17



HM-UV18



HM-UV19



HM-UV20



HM-UV21



HM-UV22



HM-UV23




HM-UV24


ACCESSORIES METAL LINES














PVC 3D SQUARE WALL PANEL




Model No: D003
Size: 500*500mm
Embossed height: 27mm
PCS/CTN: 100pcs




Model No: D004
Size: 500*500mm
Embossed height: 36mm
PCS/CTN: 90pcs



Model No: D006
Size: 500*500mm
Embossed height: 20mm
PCS/CTN: 90pcs



Model No: D006-1
Size: 500*500mm
Embossed height: 29mm
PCS/CTN: 40pcs



Model No: D007
Size: 500*500mm
Embossed height: 25mm
PCS/CTN: 70pcs



Model No: D008
Size: 500*500mm
Embossed height: 16mm
PCS/CTN: 60pcs




Model No: D009
Size: 500*500mm
Embossed height: 13mm
PCS/CTN: 60pcs



Model No: D011
Size: 500*500mm
Embossed height: 17mm
PCS/CTN: 100pcs




Model No: D012
Size: 500*500mm
Embossed height: 11mm
PCS/CTN: 40pcs




Model No: D017
Size: 500*500mm
Embossed height: 29mm
PCS/CTN: 100pcs



Model No: D018
Size: 500*500mm
Embossed height: 15mm
PCS/CTN: 100pcs




Model No: D023
Size: 500*500mm
Embossed height: 35mm
PCS/CTN: 50pcs



Model No: D024
Size: 500*500mm
Embossed height: 41mm
PCS/CTN: 70pcs



Model No: D026
Size: 500*500mm
Embossed height: 24mm
PCS/CTN: 70pcs




Model No: D030
Size: 500*500mm
Embossed height: 12mm
PCS/CTN: 100pcs




Model No: D071
Size: 500*500mm
Embossed height: 13mm
PCS/CTN: 40pcs

product display



Model No: D083
Size: 500*500mm
Embossed height: 15mm
PCS/CTN: 30pcs



Model No: D003-1
Size: 500*500mm
Embossed height: 12mm
PCS/CTN: 100pcs



D003-1



Model No: D086
Size: 500*500mm
Embossed height: 9mm
PCS/CTN: 30pcs




Model No: D091
Size: 500*500mm
Embossed height: 9mm
PCS/CTN: 40pcs




D006



Model No: D094
Size: 500*500mm
Embossed height: 22mm
PCS/CTN: 100pcs



Model No: D126
Size: 500*500mm
Embossed height: 20mm
PCS/CTN: 80pcs



D-007



Model No: D157
Size: 500*500mm
Embossed height: 20mm
PCS/CTN: 60pcs



Model No: D100
Size: 500*500mm
Embossed height: 10mm
PCS/CTN: 35pcs

A




D09-3



B

D018



C

D086

D



D-100

3D WALL STICKER

Size: 70x77cm/70x70cm/8.5x230cm **Thickness:** 4mm/6mm/8mm


HM-W01


HM-W02


HM-W03


HM-W04


HM-W05


HM-W06


HM-W07


HM-W08


HM-W09


HM-W10



HM-W11


HM-W12


HM-W13


HM-W14


HM-W15


HM-W16



HM-W17


HM-W18


HM-W19


HM-W20


HM-W21


HM-W22


HM-W23



HM-W24


HM-W25


HM-W26


HM-W27


HM-W28


measure the wall sizes

Cut the wall stickers to the sizes as you need




Peel off the glue paper at backside

Stick to the wall




3D WALL STICKER






HM-W29



HM-W30






HM-W31


3D WALL STICKER





HM-W32






HM-W33



WHAT IS SPC FLOORING?

HOMEY SPC FLOORING (Rigid Vinyl Plank) is considered the new generation of floor covering. It is constructed by UV coating, Wear layer, Decorative printing layer, SPC core, Balance layer. the main content of SPC core are natural stone powder, polyvinyl chloride and stabilizer which combined by a certain formula which provides us a very stable composite material. It is an upgrade and improvement of regular luxury vinyl tiles (LVT).

For the backing, HOMEY SPC FLOORING can be also with EVA,IXPE foam or Cork wood as option to fit all different types of under-floor and providing us excellent walking and impact sound-insulation features.



STRUCTURE

SPC SPECIFICATIONS

Description:	SPC FLOORING (RIGID VINYL PLANK / RIGID VINYL TILES)	
Construction:	SPC core (Limestone + Virgin PVC composite, not contain plasticizer) 2050 kgs/m³ density	
Finish:	Deep embossed, Hand scraped, Embossed in register, Marble	
Wear-layer:	0.3mm/0.5mm wear-layer for residential, light commercial & heavy commercial	
Gloss Level	5%-7%	
Profile:	Angle installation, Drop and Lock	
Edge:	Micro-beveled edge, Painted bevel edge	
Installation:	Float - Valinge 2G, Valinge 5G-I, Glue free.	
Avaliable plank size:	1220 x 150 mm | 48.03" x 5.91"	1524 x 180 mm | 60" x 7.09"
	1220 x 180 mm | 48.03" x 7.09"	935 x 150 mm | 36.81" x 5.91"
	1220 x 228 mm | 48.03" x 8.98"	305 x 610 mm | 12" x 24"



DETAILED TECHNICAL DATA:

Properties	Test Method	Unit	Test Result		Remarks
Dimensional stability (Expansion or shrinking)	BS EN ISO 23999:2012	%	Manufacturing direction	0.06	Heating temperature: 80℃ Heating time: 6h
			Across-manufacturing direction	0.03	
Curling after exposure to heat		mm	0		
Peel Resistance (top layer)	BS EN ISO 24345:2012	N/50mm	Machine direction	100	Loading rate: 100mm/min
			Across machine	95	
Residual indentation	EN ISO 24343-1:2012	mm	0.06		Pass
Staining and resistance to chemicial	EN ISO 26987:2012	/	Not affected		Pass
Wear resistance (0.5mm/20mil)	EN 660-2:1999 +A1:2003 and EN649:2011	/	Wear group: T		Pass
Color fastness to light	EN ISO 105-B02:2014	/	Grade (Bluewood Std) 6		Meets requirement
Effect of a castor chair	EN 425:2002	/	No visible damage		Pass
Slip resistance	DIN 51130:2014-02	/	Critical angle of inclination: 12.0 °	R10	Pass
RoHS Directive 2011/65/EU	IEC 62321		Not Detected		Pass
Phthalates (DBP, BBP, DINP, DNOP, DIDP)	EN14372:2004		Not Detected		Meets requirement
REACH	Regulation (EC) No 1907/2016 REACH	%	According to the specified scope and evaluation screening, the test results of SVHC are less than 0.1%(w/w)		169 Substances of Very High Concern(SVHC) for authorization by European Chemicals were Not Detected.
Fire-resistant rate	EN ISO 9239-1	/	Critical flux (kW/m2)	≥11	Pass
			Smoke (%xminutes)	160	
	EN ISO 11925-2 Expsure = 15s	/	Fs ≤ 150 mm	YES	Pass
VOC (Floorscore)	CDPH/EHLB/Standard Method V1.2	/	35 types of chemicals		Pass





1617-4





1643-3





1643-5





5182-10





6185-6





6188-5





6185-1





6173-7



5182-21

SPC Floor Molding & Trims

- Matching for SPC/LVT/WPC flooring thickness 4mm-7.5mm



T-MOLDING
size: 2400x46x7mm
Packing: 20pc/ctn
Price:
Weight: 10KGS



REDUCER
Size(mm): 2400*43*10
Packing: 20pc/ctn
Price:
Weight: 14.3KGS



END-CAP
Size(mm): 2400*35*10
Packing: 20pc/ctn
Price:
Weight: 13.4KGS



QUARTER ROUND
Size(mm): 2400*28*16
Packing: 25pc/ctn
Price:
Weight: 16.26KGS



STAIR NOSE
Size(mm): 2400*54*18
Packing: 10pc/ctn
Price:
Weight: 11KGS



FLUSH STAIR NOSE A
Size(mm): 2400*72*25
Packing: 10pc/ctn
Price:
Weight: 15KGS



FLUSH STAIR NOSE B
Size(mm): 2400*115*25
Packing: 6pc/ctn
Price:
Weight: 18KGS



SKIRTING 80-1
Size(mm): 2400*80*14
Packing: 10pc/ctn
Price:
Weight: 19.5KGS



7 END CAP
Size(mm): 2400*12*21
Packing: 50pc/ctn
Price:
Weight: 18KGS



UNDERLAYMENT
Size: 16.9m x 1.1m x 1.5mm
Underlayment (EVA/IXPE) is placed underneath the flooring to provide comfort underfoot and to provide insulation against sound, moisture and heat.

MOQ: 100 pcs/item/color
Delivery time: 25 days
Same color matching of your SPC/LVT/WPC flooring

PVC SELF-ADHESIVE FLOORING







Code: 68024
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68019
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68015
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68013
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68001
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68002
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68011
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68007
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68008
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 68009
Size: 152.4mm×914.4mm
Thickness: 1.5mm
Others: 1.8mm、2mm、3mm



Code: 88009
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm



Code: 88011
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm



Code: 88006
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm



Code: 88003
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm



Code: 88001
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm



Code: 88010
Size: 600mm×600mm
600mm×300mm
Thickness: 1.4mm
Others: 1.8mm、2mm、3mm