
THE KINFOLK HOME
INTERIOR DESIGN

حلول كهربائية تجمع بين التقنية والابتكار

اكتشفوا مجموعة متكاملة من الأفياش الكهربائية والتوصيلات التي تلبي مختلف الاحتياجات، من المفاتيح والأفياش التقليدية إلى الحلول الذكية التي تواكب تطور أنماط الحياة العصرية

نوفر خيارات متنوعة تجمع بين جودة التصنيع، والتصاميم الأنيقة، وسهولة الاستخدام، لتناسب مختلف المساحات السكنية والتجارية. سواء كنتم تبحثون عن حلول كهربائية عملية أو تقنيات ذكية تمنحكم تحكمًا أكبر وراحة أكثر، ستجدون خيارات تلائم متطلباتكم وتواكب تطلعاتكم

تقنية متطورة، وتصاميم عصرية، وحلول تلبي احتياجاتكم



K2.0 Series



K3 Series



K5 Series



K8 Series



B8 Series




B9 Series



V6 Series



V8 Series



V9 Series



FLOOR SOCKET




K11 Series



V2 Series





CIRCUIT BREAKER



POWER STRIP



TRACK SOCKET



V2 Super Flat **Series**

Flexible 3/4/6-Gang Frame Options
Diverse Module Choices
BS，US，CB, BIS, IEC 60669 Standard


Colour For Options



White



Black



Grey

V2 Super Flat **Series**

Assemble it yourself

Choose your modules - we'll take care of the rest.



Your Assembled Product



- ✔ Includes frame
- ✔ Your design, your layout.
- ✔ Pick, Click, Done – Fully Customized

Simple assembly for DIY

Function modules can be freely combined,
offering multiple configurations for you to choose from.
The new concept of a personalized home is just this simple.









V2 Super Flat Series




PC material

High quality imported Bayer PC
Good fineness
Uniform color
No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident




U type terminal

U type threads structure with large-diameter terminal can fasten connection



Frame module

It can be taken apart easily to change the design rather than change the whole set



Module structure



Diverse Module Choices

Mix and Match Freely

Flexible Frame Options



3gang



4gang



6 gang



7 gang

V2 Super Flat Series



V2G1Q/1
1M 1 gang 1 way switch module

V2G1Q/2
1M 1 gang 2 way switch module

Module type:1/3



V2G1K/2J-D20
20A DP switch modular with
led light Internal connection

Module type:1/3



V2GCL
Switch Up-down

Module type:1/3



V2G1K/2J-D32
Switch 32A DP

Module type:3/3



V2G162
2 pin socket modular

Module type:1/3



V2G2K/1
Switch 10A Double

Module type:1/3



V2GMB
Door bell switch modular

Module type:1/3

V2GMB
Blank

Module type:1/3



V2G1K/2J-D45
Switch 45A DP

Module type:3/3



V2G162E
Switch 10A Double

Module type:1/3

V2 Super Flat Series



V2G163DGN
Universal socket modular
with spring(black) - 16 A

Module type:2/3



V2G1633MSB
Socket double flat 15A

Module type:3/3



V2G163YDL
Socket 16A

Module type:1/3



V2GTS
Reguiater-fan 300w

Module type:2/3



V2GHW/Y
Switch humminductor 60w

Module type:2/3



V2162DS
Choco16A

Module type:2/3



V2G1633MS
Switch 45ADPSwitch 16A DP

Module type:3/3



V2GUSB+C
USB Type A+C module

20W fast charging
5V，2.1A

Module type:2/3



V2GTG
Dimmer 300w

Module type:2/3



V2GDD
Electronic door-bell 60w

Module type:2/3

V2 Super Flat Series



V2GDN-6
Socket data
Module type:1/3



V2GDH
Socket telephone
Module type:1/3



V2GTV
Socket satellite
Module type:1/3



V2GWXTV
1M satellite TV socket module
Module type:1/3



V2GYJD
Emergency light
Module type:3/3

V2GDJ/P-3K
Floor lamp-white

V2GDJ/P-7K
Floor lamp-white

Module type:2/3



V2GSGK/Y
Switch sounol
Module type:2/3



V2GCM
Switch fouch delay
Module type:2/3



Water proof box
Suitable for 3 way switch socket









V2 Super Flat Series


Technical specification




Module:can put 3 module max
Chassis(3 gang)



Module:can put 4 module max
Chassis(4 gang)




Module:can put 6 module max
Chassis(6 gang)




Module:can put 7 module max
Chassis(7 gang)

V2 Super Flat Series


Modular Size



Material:PC
Size:45mmX22.5mm
Module type:1/3



Material:PC
Size:45mmX45mm
Module type:2/3



Material:PC
Size:45mmX67.5mm
Module type:3/3





TRACK
SOCKET

Recessed version

Adapter DIY
.Can add more flexibility
.Can change location freely twisting
.Can put in / take out by left or 90°

Black



Grey



Silver



White



Surface Mounted

Adapter DIY
.Can add more flexibility
.Can change location freely twisting
.Can put in / take out by left or 90°









TRACK
SOCKET


Suitable for all occasions



TRACK
SOCKET

Free parallel sliding

The socket can move
arbitrarily in the orbit






Add or subtract adapters at will


Daily appliances can be used
simultaneously

One -key power switch

Safe and convenient




Surface Mounted



Model number	Specification	WidthxThicknessxLength
GD-MR-1K25-45		8.2X 2X45cm
GD-MR-1K25-60		8.2X 2X60cm
GD-MR-1K25-80		8.2X 2X80cm
GD-MR-1K25-100		8.2X 2X100cm
GD-MR-1K25-120		8.2X 2X120cm
GD-MR-1K25-150		8.2X 2X150cm

Recessed version



Model number	Specification	WidthxThicknessxLength	Cutting Size
GD-MLR-45		8X 3.1X45cm	6.2X 3X44cm
GD-MLR-60		8X 3.1X60cm	6.2X 3X59cm
GD-MLR-80		8X 3.1X80cm	6.2X 3X79cm
GD-MLR-100		8X 3.1X100cm	6.2X 3X99cm
GD-MLR-120		8X 3.1X120cm	6.2X 3X119cm
GD-MLR-150		8X 3.1X150cm	6.2X 3X149cm

Adapter series





13A UK SOCKET
Power : 13A MAX 250V



Motion sensor with Light
Power : 0.04A 250V



13A Universal socket
Power : 13A MAX 250V



16A US Socket
Power : 250V



USB+C 65W faster charger
Power : 250V



16A EU Socket
Power : 250V



French socket
Power : 250V max



15A British Socket
Power : 250V max



10A Australia Socket
Power : 250V



16A US Socket
Power : 250V max



10A Brazil Socket
Power : 250V max



10A Italy Socket
Power : 250V max



B8 Super Slim Series



White



Grey



Gold



Black

B8 Super Slim Series



Frame module

It can be taken apart easily to change the design rather than change the whole set



U type terminal

U type threads structure with large-diameter terminal can fasten connection



Bronze conduction

One- time finished tin-phosphor bronze metal part . Strong resilience. Resistance to wear Lifetime 1.5 times longer than product itself



PC material

High quality imported Bayer PC
Good fineness
Uniform color
No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident



Access port

Easy to put in 3pcs of wires
Convenience for installation



B8 Super Slim Series



Power : 16AX 250V~
B81Q/1 : 1 gang 1 way switch
B81Q/2 : 1 gang 2 way switch
B8DK : 1 gang Multi-point Control Switch



Power : 16AX 250V~
B82Q/1 : 2 gang 1 way switch
B82Q/2 : 2 gang 2 way switch
B8DK2 : 2 gang Multi-point Control Switch



Power : N/A
B8HU : HDMI +USB Socket



Power : PD 65W
B8TU : 2 gang USB & Type C socket PD 65W



Power : 16AX 250V~
B83Q/1 : 3 gang 1 way switch
B83Q/2 : 3 gang 2 way switch



Power : 16AX 250V~
B84Q/1 : 4 gang 1 way switch
B84Q/2 : 4 gang 2 way switch



Power : 220V~ 5W
B8YL : Volume Controller



Power : 220V~ LED ≤100W
B8TG/T : Dimmer Switch (LED load/Silicon controlled)



Power : 16A 250V~
B8ML : Door bell



Power : 250V~
B81K/2J-D32 : 1 Gang 32A DP Switch
B81K/2J-D45 : 1 Gang 45A DP Switch



Power : 220V~ 250W
B8TS : Rotatable Fan Dimmer Switch



Power : LED≤50W
B8SGK/Y : Acoustic light switch (two lines)



Power : 13A 250V~
B81K/2J3F-13 : 1 gang 13A DP Switched socket



Power : 13A 250V~ / USB PD18W
B81K/2J3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C fast charger



Power : 5~850MHz
B8XTV-45 : 45° Satellite TV Socket



Power : LED≤60W
B8HW/Y : PIR motion sensor switch



Power : 45A 250V~
B8YTH-CF : 45A Swith with 13A socket for kitchen Unit



Power : 13A 250V~
B82K/2J3F2-13 : 2 gang 13A DP switched socket



Power : 13A 250V~ /USB PD18W
B82K/3F2TU-13 : 2 gang 13A single pole socket with USB+Type C fast' charger



Power : 45A 250V~ 5V 2.1A~
B8JXZ-45 : 45A cable outlet

B8 Super Slim Series



Power : 5~850MHz
Power : RJ11/4Wire
B8WXTV/DH : Television & Telephone socket



Power : RJ45 Cat6
Power : 5~850MHz
B8WXTV/DN-6 : Television & computer socket



Power : RJ45 Cat6
B8DN-6 : 1 way computer socket



Power : RJ11/4Wire
B8DH : 1 way telephone socket



Power : RJ11/4Wire RJ45 Cat6
B8DH/DN-6 : Telephone & computer soccket



Power : RJ11/4Wire
B8DH/2 : 2 way telephone socket



Power : RJ45 Cat6
B8DN/2 : 2 way computer socket



Power : N/A
B8MB : Front-plate



Power : 16A 250V~
B8162DS : 1 gang Germany socket



Power : 16A 250V~
B8162DS/USB+C : 1 gang Germany socket with USB & TYPE C



Power : 16A 250V~
2 & 3 Pins Universal Switched Socket



Power : 16A 250V~
1 Gang Universal Switched Socket



Power : 16A 250V~
2 gang 13A universal switched socket with indicator



Power : 16A 250V~
Universal Switched Socket with USB+C



Power : 6A 250V~
6A three pin socketUSB+C and big switch



Power : 16A 250V~
16A three pin socket and big switch



Two gang mounting plate




Power : 16A 250V~
2 gang 13A universal switched socket with indicator
USB+Type C fast' charger



Power : 16A 250V~
6A+16A three pin socket and big switch



Power : 6A 250V~
6A three pin socket and big switch



Three gang Mounting Plate



B9 Glass Series



Power : 16AX 250V~
B91Q/1 : 1 gang 1 way switch
B91Q/2 : 1 gang 2 way switch
B9DK : 1 gang Multi-point Control Switch



Power : 16AX 250V~
B92Q/1 : 2 gang 1 way switch
B92Q/2 : 2 gang 2 way switch
B9DK2 : 2 gang Multi-point Control Switch



Power : 16AX 250V~
B93Q/1 : 3 gang 1 way switch
B93Q/2 : 3 gang 2 way switch



Power : 16AX 250V~
B94Q/1 : 4 gang 1 way switch
B94Q/2 : 4 gang 2 way switch



Power : 16A 250V~
B9ML : Door bell



Power : 250V~
B91K/2J-D32 : 1 Gang 32A DP Switch
B91K/2J-D45 : 1 Gang 45A DP Switch




Power : 13A 250V~
B91K/2J3F-13 : 1 gang 13A DP Switched socket



Power : 13A 250V~ / USB PD18W
B91K/2J3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C fast charger



Power : 45A 250V~
B9YTH-CF : 45A Swith with 13A socket for kitchen Unit



Power : 13A 250V~
B92K/2J3F2-13 : 2 gang 13A DP switched socket

B9 Glass series of B8

5.3mm super slim design

Pendulum angle 2°

88X86X5.3mm



B9 Glass Series



Power : N/A
B9HU : HDMI+USB Socket



Power : PD 65W
B9TU : 2 gang USB & Type C socket PD 65W



B9WXTV/DH : Television & Telephone socket



B9WXTV/DN-6 : Television & computer socket



Power : 220V~ 5W
B9YL : Volume Controller



Power : 220V~ LED ≤100W
B9TG/T : Dimmer Switch (LED load/Silicon controlled)



Power : RJ45 Cat6
B9DN-6 : One way computer socket



Power : RJ11/4Wire
B9DH : 1 way telephone socket



Power : 220V~ 250W
B9TS : Rotatable Fan Dimmer Switch



Power : LED≤50W
B9SGK/Y : Acoustic light switch (two lines)

Power : RJ11/4Wire RJ45 Cat6
B9DH/DN-6 : Telephone & computer soccket

Power : 6A 250V~
6A three pin socket and big switch



Power : 5~850MHz
B9WXTV-45 : 45° Satellite TV Socket



Power : LED≤60W
B9HW/Y : PIR motion sensor switch



Power : 6A 250V~
6A three pin socketUSB+C and big switch




Power : 16A 250V~
6A+16A three pin socket and big switch




Power : 16A 250V~ / USB PD18W
B92K/3F2TU-13 : 2 gang 13A single pole socket with USB+Type C fast' charger



Power : N/A
B9MB : Front-plate




Two gang mounting plate



Three gang Mounting Plate





K11 Stainless Steel Series

Colour For Options



golden



bronze



Stainless steel



Black




K11 Stainless Steel Series

Ultra-thin metal socket




3.5mm ultra-thin

It fits seamlessly into the walls



Metal material

Stainless steel material is not easy to deform, durable, scratch resistant



Bronze conduction

One- time finished tin-phosphor bronze metal part . Strong resilience. Resistance to wear Lifetime 1.5 times longer than product itself

K11 Stainless Steel Series



Power : 16AX 250V~
K111Q/2Y: 1 gang 2 way switch
K11ML : Door bell



Power : 16AX 250V~
K113Q/2Y: 3 gang 2 way switch



Power : CAT 6
K11DN : 1 way computer socket



Power : CAT 6
K11DN/2 : 2 way computer socket



Power : 5-850MHz，RJ11
K11TV/DN : Television & Telephone socket



Power : N/A
K11HDMI/2 : Energy Saving Card Switch



Power : 16AX 250V~
K112Q/2Y: 2 gang 2 way switch



Power : 16AX 250V~
K114Q/2Y: 4 gang 2 way switch(86)



Power : RJ11
K11DH : 1 way telephone socket



Power : RJ11，RJ45
K11DH/DN : Telephone & computer soccket



Power : N/A
K11HDMI : HDMI Socket



Power : N/A
K11TG/T : Fan speed controller/Light dimmer



Power : 16AX 250V~
K112K4Q/2Y : 4 gang 2 way switch(146)



Power : 45A 250V~
K11YTH-CF : 45a Swith with 13A socket for kitchen Unit



Power : N/A
K11MB2 : Blank plate 3X6




Power : 13A 250V~
K111K/2J3F-13 : 1 gang 13A 3 pin switched socket



Power : 20A 250V~
k111K/2J-20 : 1 Gang 20A DP Switch



Power : 13A 250V~/ 5V 2.1A
K112K/2J3F2USB+C-13 : One gang 13A 3 pin switched socket+USB+C



Power : 13A 250V~
K112K/2J3F2-13 : 2 gang 13A DP switched socket

Power : N/A
K11MB : Blank plate 3X3



Power : 13A 250V~
K11K/2J3FUSB+C-13 : One gang 13A 3 pin switched socket+USB+C



Power : 45A 250V~
K111K/2J-45 : 1 Gang 45A DP Switch

K11 Stainless Steel Series



Power : 16A 250V~
1 Gang Universal Switched Socket with Indicator



Power : 5-1000MHz
K11WXTV : Satellite TV Socket



Power : 5-1000MHz
1 Gang 16A Switched Socket



Power : 16A 250V~/5V 2.1A
1 Gang Switched Unicersal socket with USB + C



Power : CAT 6
K11DJ_GD : One gang footlight with infrared sensor



K112KDGNUSB+C-13





K2




Frame module

It can be taken apart easily to change the design rather than change the whole set



U type terminal

U type threads structure with large-diameter terminal can fasten connection



Bronze conduction

One- time finished tin-phosphor bronze metal part . Strong resilience. Resistance to wear Lifetime 1.5 times longer than product itself




PC material

High quality imported Bayer PC
Good fineness
Uniform color
No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident



Access port

Easy to put in 3pcs of wires
Convenience for installation

White



Grey



Gold



Black



Bigger panel
Size of product: 86*86mm

K2

Power : 16AX 250V~
K2.01Q/1Y : 1 Gang 1 Way Switch
K2.01Q/2Y : 1 Gang 2 Way Switch
K2.0DK : 1 Gang Multi-point Control Switch



Power : 16AX 250V~
K2.02Q/1Y : 2 Gang 1 Way switch
K2.02Q/2Y : 2 Gang 2 Way switch
K2.0DK2 : 2 Gang Multi-point Control Switch



Power : 5~850MHz
Power : RJ11/4Wire
K2.0WXTV/DH : Satellite TV& telephone socket



Power : RJ45 Cat6
Power : 5~850MHz
K2.0WXTV/DN -6 : 1 way Satellite TV& computer socket



Power : 16AX 250V~
K2.03Q/1Y : 3 Gang 1 Way switch
K2.03Q/2Y : 3 Gang 2 Way switch



Power : 16AX 250V~
K2.04Q/1Y : 4 Gang 1 Way switch
K2.04Q/2Y : 4 Gang 2 Way switch



Power : RJ45 Cat6
Power : 5~850MHz
K2.0TV/DN-6 : Television & computer socket



Power : 5~850MHz
Power : RJ11/4Wire
K2.0TV/DH : Television & Telephone socket



Power : 16A 250V~
K2.0ML : Door bell



Power : 16AX 250V~
K2.0MH/2 : "DON' T DISTURB" & "MAKE UP ROOM" Indicator Bell Switch



Power : 16A 250V~
K2.01633MS : 2 Gang US Socket




Power : 16A 250V~
K2.01633MS : 1 Gang US Socket



Power : 250V~
K2.01K/2J-D20 : 1 Gang 20A DP Switch
K2.01K/2J-D32 : 1 Gang 32A DP Switch
K2.01K/2J-D45 : 1 Gang 45A DP Switch



Power : RJ45 Cat6
Power : RJ11/4Wire
K2.0DH/DN : Television & computer socket



Power : 13A 250V~
K2.01K/3F-D13 : 1 gang 13A Switched socket with indicator
K2.01K/2J3F-D13 : 1 gang 13A DP Switched socket with indicator



Power : 16A 250V~
K2.01K/3Y-D16 : 1 Gang 16A Switched Socket with Indicator



Power : 5~850MHz
K2.0WXTV : Satellite television
K2.0KPTV : F-type Satellite Socket
K2.0KPTV/1 : Secondary F-type Satellite Socket



Power : <5~850MHz
K2.03TV : 1 way television socket



Power : 16A 250V~
K2.01K/2YDGN-D16 : 2 gang 2&3 Pins Unicersal switched socket with indicator



Power : 16A 250V~
K2.0K/DGN-D16 : 1 Gang Universal Switched Socket with Indicator



Power : RJ45 Cat6
K2.0DN : 1 way computer socket



Power : RJ11/4Wire
K2.0DH : 1 way telephone socket



Power : 16A 250V~ 5V 2.1A~
K2.01K/DGNUSB2-D16 : 1 Gang Switched Unicersal socket with 2 USB Port



Power : 16A 250V~
K2.0DGN : 1 Gang Switched Universal

K2



Power : 16A 250V~
K2.0162DS : 1 gang Germany socket



Power : N/A
K2.0FHU : HDMI+USB Socket
(USB for data transfer)



Power : N/A
K2.0FV : VGA+F3.5 Socket



Input : 220V~
Output : PD20W
1 gang usb+type c socket



Input : 10A 220V~
Output : PD20W
2 gang usb+type c socket



Power : 220V~ LED≤100W
K2.0TG/T : Rotatable Dimmer Switch



Power : 3A
K2.0BJ : Alarm Press Buttom Switch



Power : 220V~≦250W
K2.0TS : Fan Speed Controller Switch




Power : LED≤60W
K2.0HW/Y : PIR motion sensor switch



Power : LED≤60W
K2.0SGK/Y : Acoustic light switch



Power : 30A 220V~
K2.0JK : RF Energy Saving Card Switch
K2.0JK/G : High freequency IC card Switch
K2.0JK/D : Low freequency IC card Switch



Power : N/A
K2.0MB : Front-plate



Power : N/A
K2.0286TB : one-piece frame assembly
(can replace by install both horizontal and vertical side)



Power : N/A
K2.0386TB : one-piece frame assembly
(can replace by install both horizontal and vertical side)



Power : N/A
K2.0586TB : one-piece frame assembly
(can replace by install both horizontal and vertical side)



Power : N/A
K2.0486TB : one-piece frame assembly
(can replace by install both horizontal and vertical side)



Elegant Design Excellent Quality

Super Flat Big Key Switch with Multiple Socket

Colour For Options

Four colour White , Gold , Grey ,Black for options
BS , US , CB, BIS, IEC 60669 Standard
High quality PC materials, flame
resitance,high stength,not easy to fade
Pure Cooper ,Brass ,with Iron Frame firly
installation and with electricshock protection



Short circuit protection



Overheat protection



Overcurrent protection



Overvoltage protection



Protection against electric shock



Gold



Grey



White



Black

K3 Super Flat Series




Frame module

It can be taken apart easily to change the design rather than change the whole set



U type terminal

U type threads structure with large-diameter terminal can fasten connection



Bronze conduction

One- time finished tin-phosphor bronze metal part . Strong resilience. Resistance to wear Lifetime 1.5 times longer than product itself



PC material

High quality imported Bayer PC
Good fineness
Uniform color
No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident



Access port

Easy to put in 3pcs of wires
Convenience for installation



K3 Super Flat Series



Power : 16AX 250V~
K31Q/1Y : 1 Gang 1 Way Switch
K31Q/2Y : 1 Gang 2 Way Switch
K3DK : 1 Gang Multi-point Control Switch



Power : 16AX 250V~
K32Q/1Y : 2 Gang 1 Way switch
K32Q/2Y : 2 Gang 2 Way switch
K3DK2 : 2 Gang Multi-point Control Switch



Power : 16AX 250V~
K33Q/1Y : 3 Gang 1 Way switch
K33Q/2Y : 3 Gang 2 Way switch



Power : 16AX 250V~
K34Q/1Y : 4 Gang 1 Way switch
K34Q/2Y : 4 Gang 2 Way switch



Power : 16A 250V~
K3ML : Door bell switch



Power : 16AX 250V~
K3MH/2 : "DON' T DISTURB" & "MAKE UP ROOM" Indicator Bell Switch



Power : 250V~
K31K/2J-D20 : 1 Gang 20A DP Switch
K31K/2J-D45 : 1 Gang 45A DP Switch
K31K/2J-D32 : 1 Gang 32A DP Switch



Power : 13A 250V~
K31K/3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C



Power : 16A 250V~
K31633MS : 2 Gang US Socket



Power : 16A 250V~
K3163MS : 1 Gang US Socket



Power : 13A 250V~
K31K/3F-13 : 1 gang 13A Switched socket with indicator
K31K/2J3F-13 : 1 gang 13A DP Switched socket with indicator



Power : 13A 250V~
K31K/3F-D13 : 1 gang 13A Switched socket with indicator
K31K/2J3F-D13 : 1 gang 13A DP Switched socket with indicator



Power : 16A 250V~
K31K/DGN-D16 : 1 Gang Universal Switched Socket with Indicator



Power : 16A 250V~
K31K/DGNUSB2-D16 : 1 Gang Switched Unicersal socket with 2 USB Port



Power : 16A 250V~
K31K/3Y-D16 : 1 Gang 16A Switched Socket with Indicator



Power : 16A 250V~
K31K/2YDGN-D16 : 2 gang 2&3 Pins Unicersal switched socket with indicator



Power : 16A 250V~
K32YDGNUSB2-D16 : 2 & 3 Pins Universal Socket with Indicator with double USB 2.1A



Power : 16A 250V~
K3162DS : 1 gang Germany socket



Power : 16A 250V~
K31622K : 1 gang 13A Double 2 pins switched socket



Power : 220V~ ≤100W
K31K/TS : 1 gang Fan Speed Controller Switch



Power : 6A 250V~
6A three pin socketUSB+C and big switch



Power : 16A 250V~
6A+16A three pin socket and big switch



Power : 6A 250V~
6A three pin socketwith indicator andbig switch

K3 Super Flat Series



Power : 13A 250V~
K32K/3F2-D13 : 2 gang 13A switched socket with indicator
K32K/2J3F2-D13 : 2 gang 13A DP switched socket with indicator



Power : 45A 250V~
K3YTH-CF : 45a Swith with 13A socket for kitchen Unit



Power : 13A 250V~+5V~3A/2.1A
K32K/DGNUSB2-D13 : 2 gang 13A universal switched socket with indicator with 2 USB



Power : 13A 250V~
K32K/DGN-D13 : 2 gang 13A universal switched socket with indicator



Power : 13A 250V~
K32K/3F2-13 : 2 gang 13A switched socket
K32K/2J3F2-13 : 2 gang 13A DP switched socket



Power : 13A 250V/2.1A
K32K/3F2USB+C-13 : 2 gang single pole switched socket with USB+ Type C



Power : 45A 250V~
K3JXZ-45 : 45A cable outlet



Power : PD 20W
K31K/3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C



Power : 220V~ ≤250W
K3TS : Fan Speed Controller Switch



Power : 5W
K3VM : Volume switch



Power : 5~850MHZ
K3TV : 1 way television socket
K3KPTV : F-type Satellite Socket
K3KPTV/1 : Secondary F-type Satellite Socket



Power : RJ11/4 Wire
K3DH : 1 way telephone socket



Power : 5~850MHZ RJ11/4 Wire
K3TV/DH : Television & Telephone socket



Power : 5~850MHZ RJ11/4 Wire
K3TV/DH : Television & Telephone socket



Power : RJ11/4 Wire RJ45 CAT 6
K3DH/DN : Television & computer socket



Power : N/A
K3FHU : HDMI+USB Socket



Power : N/A
K3WXTV : 1 gang satellite TV socket



Power : RJ45 CAT 6
K3DN : 1 way computer socket



Power : 5~850MHZ RJ45 CAT 6
K3TV/DN : Television & computer socket



Power : 5~850MHZ RJ45 CAT 6
K3TV/DN : Television & computer socket



Power : < 1W 220V~
K3DJ : PIR motion sensor Footlight



Power : N/A
K3FV : VGA+F3.5 Socket

K3 Super Flat Series



Power : <30V
K33R : 3RCA Socket



Power : LED<100W
K3TG : Rotatable LED light Dimmer Switch



K3FS : French socket



Power : N/A
K3MB : Front-plate



Power : 220V~ 50/60Hz
Incandescent lamp≤500W
Energy saving light,
Fluorescent lamp≤200W

K3SGK/Y : Acoustic light switch



Power : 16A 250V~
K3JK : Energy Saving Card Switch RF
K3JK/G : High freequency IC card Switch
K3JK/D : Low freequency IC card Switch



Power : N/A
K3MB2 : 146 Front-plate



Power : 16A 250V~
K32K/DGNUSB+C-D13 : 2 gang 13A universal switched socket with indicator with USB+type c



Power : 1A 220V~
K3ML/S : "DON' T DISTURB" Indicator Bell Switch



Power : 1A 220V~
K3ML/S2 : "DON' TDISTURB" &"MAKE UPROOM" IndicatorBellSwitch







Power : 1A 220V~
K3ML/S3 : DONNOT DISTURB" & "MAKE UP ROOM" &"WAIT AMOMENT" Indicator Bell Switch



Power : 10A 220V~
K3DD : Ding Dong door bell



GFCI



GFCI



Power : N/A
K3BJ : Alarm Press Buttom Switch



Power : 220V~ 50/60Hz
LED<60W

K3HW/Y : PIR motion sensor switch







K5 Thin Trim Series



Frame module

It can be taken apart easily to change the design rather than change the whole set



Bronze conduction

One- time finished tin-phosphor bronze metal part . Strong resilience. Resistance to wear Lifetime 1.5 times longer than product itself



Children safety guard

Safety guard set inside to protect children from electric shock accident





White





Grey





Gold





Black

K5 Thin Trim Series

1. Integrated fast disassembly,Integrated Button and border. easy disassembly.
2. Size:86*90mm
3. Sn-P bronze,Good elasticity, fatigue resistance and good electrical conductivity.
4. Silver alloy contact,Improved silver alloy contact.Excellent conductivity pure silver and the high hardness alloy.Strong arc extinguishing ability

K5 Thin Trim Series



Power : 16AX 250V~
K51Q/1Y : 1 Gang 1 Way Switch
K51Q/2Y : 1 Gang 2 Way Switch
K5DK : Multi-point Control Switch



Power : 16AX 250V~
K52Q/1Y : 2 Gang 1 Way switch
K52Q/2Y : 2 Gang 2 Way switch



Power : 16AX 250V~
K53Q/1Y : 3 Gang 1 Way switch
K53Q/2Y : 3 Gang 2 Way switch



Power : 16AX 250V~
K54Q/1Y : 4 Gang 1 Way switch
K54Q/2Y : 4 Gang 2 Way switch



Power : 16A 250V~
K5ML : Door Bell



Power : 16AX 250V~
K5MH/2 : "DON' T DISTURB" & "MAKE UP ROOM" Indicator Bell Switch



Power : 20A/45A 250V~
K51K/2J-D20 : 1 Gang 20A DP Switch
K51K/2J-D45 : 1 Gang 45A DP Switch



Power : 16A 250V~
K51633MS : 2 Gang US Socket



Power : 16A 250V~
K51622MS : 2x Universal Socket



Power : 16A 250V~
K51K/3Y-D16 : 1 Gang 16A Switched Socket with Indicator



Power : 13A 250V~
K51K/3F-D13 : 1 gang 13A Switched socket with indicator
K51K/2J3F-D13 : 1 gang 13A DP Switched socket with indicator



Power : 16A 250V~
K51K/DGN-D16 : 1 Gang Universal Switched Socket with Indicator

K5 Thin Trim Series



Power : 16A 250V~
K51K/2YDGN-D16 : 2&3 Pins Unicersal switched socket with indicator



Power : 16A 250V~
K51K/DGNUSB2-D16 : 1 Gang Switched Unicersal socket with 2 USB Port



Power : <5~850MHz
K5TV : 1 way television socket
K5KPTV : F-type Satellite Socket
K5KPTV/1 : Secondary F-type Satellite Socket



Power : <5~850MHz
K5TV : 1 way television socket
K5KPTV : F-type Satellite Socket
K5KPTV/1 : Secondary F-type Satellite Socket



Power : 16A 250V~
K5162DS : 1 gang Germany socket



Power : 16A 250V~
K52YDGNUSB2-D16 : 2 & 3 Pins Universal Socket with Indicator with double USB 2.1A



Power : RJ45 Cat6
Power : RJ11/4Wire
K5DH/DN : Television & computer socket



Power : <30V
K53R : 3RCA Socket



Power : 16A 250V~
K51622K : 1 gang 13A Double 2 pins switched socket



Power : 220V~ ≦100W
K51K/TS : 1 gang Fan Speed Controller Switched



Power : N/A
K5FV : VGA+F3.5 Socket



Power : N/A
K5FHU : HDMI+USB Socket



Power : RJ45 Cat6
K5DN : 1 way computer socket



Power : RJ11/4Wire
K5DH : 1 way telephone socket



Power : 220V~ ≤250W
K5TS : Fan Speed Controller Switch



Power : 220V~ ≤100W
K5TG : Rotatable LED light Dimmer Switch



Power : 5~850MHz
Power : RJ11/4Wire
K5TV/DH : Television & Telephone socket



Power : RJ45 Cat6
Power : 5~850MHz
K5TV/DN : Television & computer socket



Power : 220V~ 50/60Hz Incandescent lamp≤500W Energy saving light, Fluorescent lamp≤200W LED≤60W
K5HW/Y : PIR motion sensor switch



Power : N/A
K5DJ : Footlight



Power : RJ45 Cat6
Power : 5~850MHz
K5TV/DN : Television & computer socket



Power : 5~850MHz
Power : RJ11/4Wire
K5TV/DH : Television & Telephone socket



Power : 220V~ 50/60Hz Incandescent lamp≤500W Energy saving light, Fluorescent lamp≤200W LED≤60W
K5SGK/Y : Acoustic light switch



Power : 3A 250V~
K5BJ : Alarm Press Buttom Switch

K5 Thin Trim Series



Power : 16A 250V~
6A+16A three pin socket
with indicator and big switch



Power : 6A 250V~
6A three pin socketwith
indicator andbig switch



Power : 16A 250V~
six gang switch with big switch




Power : 6A 250V~ USB:5V 2.1A
6A three pin socketUSB+C
withindicator and bigswitch




K8 Crystal Series







Crystal clear,
smooth and delicate;



High hardness tempered glass,not afraid of rubbing, lasting clean



2.5D arc design with smooth edges and corners;

K8 Crystal Series



Power : 16AX 250V~
K81Q/1Y : 1 gang one way switch
K81Q/2Y : 1 Gang 2 Way Switch
K8DK : Multi-point Control Switch



Power : 16AX 250V~
K82Q/1Y : 2 Gang 1 Way switch
K82Q/2Y : 2 Gang 2 Way switch
K8DK2 : 2 Gang Multi-point Control Switch



Power : 16AX 250V~
K83Q/1Y : 3 Gang 1 Way switch
K83Q/2Y : 3 Gang 2 Way switch



Power : 16AX 250V~
K84Q/1Y : 4 Gang 1 Way switch
K84Q/2Y : 4 Gang 2 Way switch



Power : 16AX 250V~
K8ML : Door bell



Power : 16AX 250V~
K8MH/2 : "DON' T DISTURB" & "MAKE UP ROOM" Indicator Bell Switch



Power : 250V~
K81K/2J-D20 : 1 Gang 20A DP Switch
K81K/2J-D45 : 1 Gang 45A DP Switch
K81K/2J-D32 : 1 Gang 32A DP Switch



Power : 16A 250V~
K8162DS : 1 gang Germany socket



Power : 16A 250V~
K81633MS : 2 Gang US Socket



Power : 16A 250V~
K8163MS : 1 Gang US Socket



Power : 13A 250V~
K81K/3F-13 : 1 gang 13A Switched socket
K81K/2J3F-13 : 1 gang 13A DP Switched socket



Power : 13A 250V~
K81K/3F-D13 : 1 gang 13A Switched socket with indicator
K81K/2J3F-D13 : 1 gang 13A DP Switched socket with indicator

K8 Crystal Series



Power : 16A 250V~
K81K/DGN-D16 : 1 Gang Universal Switched Socket with Indicator



Power : 16A 250V~
K81K/2YDGN-D16 : 2 & 3 Pins Universal Switched Socket with Indicator



Power : 16A 250V~
K82YDGNUSB2-D16 : 2 & 3 Pins Universal Socket with Indicator with double USB 2.1A



Power : 16A 250V~
K81622K : 1 gang 13A Double 2 pins switched socket



Power : 13A 250V~
K82K/3F2-13 : 2 gang 13A switched socket
K82K/2J3F2-13 : 2 gang 13A DP switched socket



Power : 16A 250V~
K81K/3Y-D16 : 1 Gang 16A Switched Socket with Indicator



Power : 16A 250V~/2.1A 5V
K81K/DGNUSB2-D16 : 1 Gang Switched Universal Socket with 2 USB Port



Power : 13A 250V~
K81K/3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C



Power : 220V~ ≤100W
K81K/TS : 1 gang Fan Speed Controller Switch



Power : 13A 250V~
K82K/3F2-D13 : 2 gang 13A switched socket with indicator
K82K/2J3F2-D13 : 2 gang 13A DP switched socket with indicator



Power : 13A 250V~/2.1A
K82K/3F2USB+C-13 : 2 gang single pole switched socket with USB+ Type C



Power : 13A 250V~+5V-2.1A
K82K/DGNUSB2-D13 : 2 gang 13A universal switched socket with indicator with 2 USB



Power : 45A 250V~
K8JXZ-45 : 45A cable outlet



Power : 220V~ ≤250W
K8TS : Fan Speed Controller Switch



Power : 3A 250W
K8BJ : Alarm Press Buttom Switch



Power : 45A 250V~
K8YTH-CF : 45a Swith with 13A socket for kitchen Unit



Power : 13A 250V~
K82K/DGN-D13 : 2 gang 13A universal switched socket with indicator



Power : PD20W
K81K/3FUSB+C-13 : 1 gang 13A single pole socket with USB+Type C



Power : 5W
K8VM : Volume switch



Power : LED ≤60W
K8HW/Y : PIR motion sensor switch

K8 Crystal Series



Power : 5~850MHZ
K8TV : 1 way television socket
K8KPTV : F-type Satellite Socket
K8KPTV/1 : Secondary F-type Satellite Socket



Power : <30V
K83R : 3RCA Socket



Power : RJ11/4 Wire
K8DH : 1 way telephone socket



Power : RJ45 CAT 6
K8DH : 1 way computer socket



Power : 5~850MHZ RJ11/4 Wire
K8TV/DH : Television & Telephone socket



Power : 5~850MHZ RJ45 CAT 6
K8TV/DN : Television & computer socket



Power : 5~850MHZ RJ11/4 Wire
K8TV/DH : Television & Telephone socket



Power : 5~850MHZ RJ45 CAT 6
K8TV/DN : Television & computer socket



Power : RJ11/4 Wire RJ45 CAT 6
K8DH/DN : Television & computer socket



Power : < 1W 220V~
K8DJ : PIR motion sensor Footlight



Power : N/A
K8FHU : HDMI+USB Socket



Power : N/A
K8FV : VGA+F3.5 Socket



Power : N/A
K8FHU : sattelite TV socket



Power : 220V~ 50/60Hz
Incandescent lamp≤500W
Energy saving light,
Fluorescent lamp≤200W

K8SGK/Y : Acoustic light switch



Power : N/A
K8MB : Front-plate



Power : 220V~ ≤100W
K8TG : Rotatable Dimmer Switch



Power : 16A 250V~
K8JK : Energy Saving Card Switch
K8JK/G : High freequency IC card Switch
K8JK/D : Low freequency IC card Switch



Power : 6A 250V~
6A three pin socketUSB+C





PA 66

PA66 material
Adopted DuPont PA66 to protective door and the pin tumbler

Single line structure
Two or three, four gang switches use single-line structure, easy and fast installation

Bigger panel
Size of product: 86*90mm

Stainless panel 304

K8

Stainless steel series



K8 Stainless steel Series



Power : 16AX 250V~
K81Q/1Y : 1 gang one way switch
K81Q/2Y : 1 Gang 2 Way Switch
K8DK : Multi-point Control Switch



Power : 16AX 250V~
K82Q/1Y : 2 Gang 1 Way switch
K82Q/2Y : 2 Gang 2 Way switch
K8DK2 : 2 Gang Multi-point Control Switch



Power : 16AX 250V~
K83Q/1Y : 3 Gang 1 Way switch
K83Q/2Y : 3 Gang 2 Way switch



Power : 16AX 250V~
K84Q/1Y : 4 Gang 1 Way switch
K84Q/2Y : 4 Gang 2 Way switch



Power : 16AX 250V~
K8ML : Door bell



Power : 250V~
K81K/2J-D20 : 1 Gang 20A DP Switch
K81K/2J-D45 : 1 Gang 45A DP Switch
K81K/2J-D32 : 1 Gang 32A DP Switch



Power : 13A 250V~
K81K/3F-13 : 1 gang 13A Switched socket
K81K/2J3F-13 : 1 gang 13A DP Switched socket



Power : 16A 250V~
K81K/2YDGN-D16 : 2 & 3 Pins Universal Switched Socket with Indicator



Power : 16A 250V~
K81K/DGN-D16 : 1 Gang Universal Switched Socket with Indicator



Power : 16A 250V~
K81K/3Y-D16 : 1 Gang 16A Switched Socket with Indicator



Power : 16A 250V~/2.1A 5V
K81K/DGNUSB2-D16 : 1 Gang Switched Universal Socket with 2 USB Port



Power : 16A 250V~
K82YDGNUSB2-D16 : 2 & 3 Pins Universal Socket with Indicator with double USB 2.1A

K8 Stainless steel Series



Power : 13A 250V~+5V-2.1A
K82K/USB2DGN-D13 : 2 gang 13A universal switched socket with USB port and indicator



Power : 13A 250V~
K82K/DGN-D13 : 2 gang 13A universal switched socket with indicator



Power : 13A 250V~+5V-2.1A
K82K/3F2-D13 : switched Double 13A UK socket with Indicator
K82K/2J3F2-D13 : switched Double 13A UK socket Double pole with Indicator



Power : 13A 250V~+5V-2.1A
K82K/3F2-13 : switched Double 13A UK socket
K82K/2J3F2-13 : switched Double 13A UK socket Double pole



Power : 16A 250V~
K8162DS : One gang Germany socket



Power : 16A 250V~
K81622 : Two gang two pin socket



Power : 16A 250V~
K81622K : One gang 13A Double 2 pins switched socket



Power : 16A 250V~
K81633MS : Two gang US socket



Power : N/A
K8FHU : HDMI+USB Socket



Power : 3A 250V~
K8BJ : Alarm Press Switch



Power : RJ11/4 Wire
K8DH : 1 way telephone socket



Power : Cat 6
K8DN -6 : One way computer socket



Power : 220V~250W
K8TS : Fan Speed Controller Switch



Power : 220V~ ≤100W
K8TG : Rotatable Dimmer Switch



Power : LED ≤60W
K8HW/Y : PIR motion sensor switch



Power : RJ11, RJ45
K8DH/DN-6: Telephone & computer soccket



Power : CAT 6
K8DN2-6 : Two way computer socket



Power : 5~850MHZ
K8TV : 1 way television socket
K8KPTV : F-type Satellite Socket
K8KPTV/1 : Secondary F-type Satellite Socket



Power : 5-850MHz, RJ11
K8TV/DH : Television & Telephone socket



Power : 5-850MHz, RJ45
K8TV/DN -6 : Television & computer socket



Power : 16A 250V~
K8JK : Energy Saving Card Switch
K8JK/G : High freequency IC card Switch
K8JK/D : Low freequency IC card Switch



Power : < 1W 220V~
K8DJ : PIR motion sensor Footlight
K8DJ /P : Regular footlight

K8 Stainless steel Series



Power : /
K8MB : Front-plate



Power : 220V~ 50/60Hz
K8SGK/Y : Acoustic light switch



Power : 220V~100W
K81K/TS : One gang Fan Speed Controller Switch





Black



Gold



White



Grey

V6



Power : 10AX 250V~
V61Q/1Y : 1 gang 1 way switch with indicator
V61Q/2Y : 1 gang 2 way switch with indicator



Power : 10AX 250V~
V62Q/1Y : 2 gang 1 way switch with indicator
V62Q/2Y : 2 gang 2 way switch with indicator



Power : 220V~200W
V6TS : Fan Speed Controller Switch



Power : 220V~200W
V6TG : Rotatable Dimmer Switch



Power : 10AX 250V~
V63Q/2Y : 3 gang 2 way switch with indicator

Power : N/A
V6MB : Front-plate



Power : 5-850MHz JJ45 5e
V6TV/DH : Gang 2 Pin Socket



Power : 16A 250V~
V6163MSBK/2J : US Socket with Switch



Power : 10AX 250V~ /16A
V6163KMS : 1 gang 1 way with US socket with indicator
V6163K/2MS : 1 gang 2 way with US socket with indicator



Power : 16A 250V~
V6163MS : 1 gang US socket



Power : 16A 250V~
V61633YDL : 2 Gang Italy socket



Power : 10AX 250V~ /16A
V63Q/2Y : 2 gang US socket with switch



Power : 16A 250V~
V61633MS : 2 gang US socket



Power : 16A 250V~
V61633MSUSB2 : 2 gang US socket with two USB



Power : RJ11/4Wire
V6DH : Telephone socket



Power : RJ45 5e
V6DN : Computer socket



Power : 50~850MHz
V6TV : Television socket

Product Accessories



FJH
IP20 WAHTERPROOF
COVER - 86 size



FJH-55
IP55 WAHTERPROOF
COVER - 86 size



FJH-146
IP20 WAHTERPROOF
COVER - 146 size



FJH-118
IP20 WAHTERPROOF
COVER - 118 size



DH-146
JUNCTION BOX - 146 size



DH-86
JUNCTION BOX - 86 size



IP66 COVER
BOX-146/276 size



IP66 COVER
BOX-86 size



Power : 100v~/220V~
GX-86 : Shaver-only socket



Power : 100v~/220V~
GX-147 : Shaver-only socket



V8

1. Fireproof PC Panel, High strength, high and low temperature resistance, Not easy to fade, easy to clean, eco-friendly.
2. Free combination, Various module for choice, flexible installation.
3. Copper lock safety door, Child-proof safety door design.
4. Install screw, Form a complete set of built-in install screw, convenient installation and service content.
5. High-quality Copper, No riveting, one-piece molding, silver alloy contact, sensitive reaction, excellent electrical conductivity.



White **Almond** **Grey** **Gold**

V8



Power : 16AX 250V~
V81Q/1 : 1 Gang 1 way switch
V81Q/2 : 1 Gang 2 Way Switch



Power : 16AX 250V~
V81K/2J : 1 Gang Double Pole Switch



Power : 16A 250V~
V8163DGN : Universal Socket



Power :16A 250V~
V81623DGN : 2+3 pin universal Socket



Power : 16AX 250V~
V82K/1 : 2 Gang 1 way switch
V82K/2 : 2 Gang 2 Way Switch



Power : 16AX 250V~
V83K/1 : 3 Gang 1 way switch
V83K/2 : 3 Gang 2 Way Switch
V84K/1 : 4 Gang 2 Way Switch



Power : 16A 250V~
V8162DS : 1 Gang German Socket



Power :16A 250V~
V81K163MS : US Socket with Switch



Power : 16AX 250V~
V8ML : Door Bell switch



Power : 20A 250V~
V81K/2J-20 : 1 Gang 20A DP Switch with Indicator



Power : 50~850MHz
V8TV : 1 Way Television



Power : RJ45 Cat6
Power : RJ11/4Wire
V8DH/DN : Telephone & computer Socket



Power : 16A 250V~
V8103YDL/162DS : 1 Gang 2 Pin& Universal Socket



Power : 16A 250V~
V81033YDJ : 2 Gang Italy socket



Power : RJ11/4Wire
V8DH : 1 Way Telephone Socket



Power : RJ45 Cat6
V8DN : 1 Way Computer Socket



Power : 16A 250V~
V8162 : 2 Pin Socket



Power : 16A 250V~
V81622 : Twin 2 Pin Socket



Power : RJ45 Cat6
Power : 5~850MHz
V8TV/DN : Television & Computer Socket



Power : 5~850MHz
Power : RJ11/4Wire
V8TV/DH : Television & Telephone Socket



Power : 16A 250V~
V8163MS : 1 Gang US Socket



Power : 16A 250V~
V81633MS : 2 Gang US socket



Power : 300W 220V~
V8TS : Fan Speed Controller Switch



Power : 300W 220V~
V8TG : Dimmer Switch

V8



Power : 2.1A 5V~

V82USB : Double USB Charger Socket



Input : PD20W

Output : 1 gang USB+Type C Socket



Power : 16A 250V~

V81633MSB : 2 Gang US socket



Power : 16A 250V

V81K163MSB : 1 Gang US socket with Switch



Power : N/A

V8MB : Front-plate



Power : 16A 250V /USB+PD20W

Output : 1 gang US socket with USB+Type C



Power : 16A 250V

V81K163MSB : 1 Gang US socket with Switch





Power : 16A 250V

V8FMQ : Buzzer

V8

SIZE





V8

SPARE PARTS









V9

Series Features

1. Standard 118 Type,118*80mm.
2. Fireproof PC Panel, High strength, high and low temperature resistance.Not easy to fade, easy to clean, eco-friendly.
3. Free combination, Various module for choice, flexible installation.
4. Copper lock safety door, Child-proof safety door design.
5. Good Structure, Sturdy steel frame structure, Copper cast structure
6. Install screw, Containing install screw, convenient installation and service content.
7. High-quality Copper, No riveting, one-piece molding, silver alloy contact sensitive reaction excellent electrical conductivity



Stainless



Glass



White




Flat pane/glass/stainless




Iron frame strong support



Children protection



Pc material



Copper lock safety door



High-quality copper

V9



Power : 10AX 250V~
V91Q/1Y : 1 Gang 1 Way Switch
V91Q/2Y : 1 Gang 2 Way Switch



Power : 10AX 250V~
V91K/2J : 1 Gang double pole switch



Power : RJ11/4Wire
V9DH : 1 Way Telephone Socket



Power : RJ45 Cat6
V9DN : 1 Way Computer Socket



Power : 10AX 250V~
V92K/1Y : 2 Gang 1 Way Switch
V92K/2Y : 2 Gang 2 Way Switch



Power : 10AX 250V~
V93K/1Y : 3 Gang 1 Way Switch
V93K/2Y : 3 Gang 2 Way Switch



Power : RJ45 Cat6
Power : RJ11/4Wire
V9DH/DN : Telephone & Computer Socket



Power : 5~850MHz
Power : RJ11/4Wire
V9TV/DN : Television & Telephone Socket



Power : 10A 250V~
V9ML : Door Bell Switch



Power : 16A 250V~
V9162 : 1 Gang 2 Pin Socket




Power : RJ45 Cat6
Power : 5~850MHz
V9TV/DN : Television & Computer Socket



Power : 50~850MHz
V9TV : 1 Way Television Socket



Power : 16A 250V~
V91622 : Twin 2 Pin Socket



Power : 16A 250V~
V9163MS : 1 Gang US Socket



Power : 300W 220V~
V9TS : Fan Speed Controll Switch



Power : 300W 220V~
V9TG : Dimmer Switch



Power : 16A 250V~
V91633MS : 2 Gang US Socket




Power : 16A 250V~
V9163DGN : Universal Socket




Power : 2.1A 5V
V9USB : Twin USB Charger Socket



Power : N/A
V9MB : Front-plate



Power : 16A 250V~
V91623DGN : 1 Gang 2 Pin & Universal Socket



Power : 16A 250V~
V91K163MS : 1 Gang 1 Way Switch & US Socket



Power : 16A 250V/2.1A 5V
V9163DGN/USB2 : 1 gang Universal socket with 2gang USB socket



Power : 16A 250V/2.1A 5V
V9163MS/USB2 : 1 Gang US socket with 2gang USB



FLOOR SOCKET
POP UP



Conección conveniente

Sistema Impermeable

Protección infantil

sistema de amortiguación

Brass
FLOOR SOCKET



Power : 13A 250V~
LDTC-YS133 : Britidh 13A 3 Pin Floor Socket-Brass



Power : 13A 250V~
LDTC-DGN103 : 3 Pin Universal Floor Socket-Brass



Power : 16A 250V~
LDTC-DS162 : Germany Socket-Brass
LDTC-FS162 : French Floor Socket-Brass



Power : 16A 250V~
LDTC-DS162 : 1 Gang US Floor Socket-Brass



Power : 16A 250V~
LDTC-MS1633 : 2 Gang US Floor Socket-Brass



Power : RJ45 Cat6
LDTC-DN : 1 Gang Computer Socket-Brass



Power : 16A 250V~
LDTC-MS1633 : 1 Gang USB Floor Socket-Brass



Power : 16A 250V~
LDTC-MS1633 : 2 Pin Floor Socket-Brass



Power : 16A 250V~
LDTC-MS1633 : 2 Pin & 3 Pin Universal Floor Socket-Brass



Power : 15A 250V~
LDTC-YS153 : 15A 3 Round Socket-Brass

STAINLESS STEEL
FLOOR SOCKET



Power : 16A 250V~
LDGD-MS1633 : 2 Gang US Floor Socket-Stainless Steel



Power : 16A 250V~
LDGD-MS1633 : 2 Pin & 3 Pin Universal Floor Socket-Stainless Steel



Power : 13A 250V~
LDGD-DGN103 : 3 Pin Universal Floor Socket-Stainless Steel



Power : 13A 250V~
LDGD-YS133 : Britidh 13A 3 Pin Floor Socket-Stainless Steel



Power : 15A 250V~
LDGD-YS153 : 15A 3 Round Socket-Stainless Steel



Power : 16A 250V~
LDGD-DS162 : Germany Socket-Stainless Steel
LDGD-FS162 : French Floor Socket-Stainless Steel



Power : 16A 250V~
LDGD-DS162 : 1 Gang US Floor Socket-Stainless Steel



Power : 16A 250V~
LDGD-MS1633 : 2 Pin Floor Socket-Stainless Steel



Power : 16A 250V~
LDGD-MS1633 : 1 Gang USB Floor Socket-Stainless Steel



Power : RJ45 Cat6
LDGD-DN : 1 Gang Computer Socket-Stainless Steel





Power : 13A 250V
Two gang UK Socket with USB+type C+Data
Material : Brass





Power : 13A 250V
Two gang UK Socket with USB+type C+Data
Material : Aluminium

FLOOR SOCKET
SIZE









FLOOR SOCKET
SPARE PARTS





Leakage circuit breake

1P/2P/3P/4P | 6A,---63A max



Overload protection

Short circuit protection


Leakage protection

Quick break

Short circuit protection

Flame retardant material

CE certification



Multiple models to meet your family needs

1P/2P/3P/4P | 6A,---63A max



Low voltage Circuit breaker



Leakage circuit breake

Red and green indicated by visual window

Avoid operating errors





Switch down
Power Off



Switch up
Power On

Low voltage Circuit breaker



Power : 230/400V 50Hz 6000A
LNK2-C106 : 1P Miniature Circuit Breaker 6a
LNK2-C110 : 1P Miniature Circuit Breaker 10a
LNK2-C116 : 1P Miniature Circuit Breaker 16a
LNK2-C120 : 1P Miniature Circuit Breaker 20a
LNK2-C125 : 1P Miniature Circuit Breaker 25a
LNK2-C132 : 1P Miniature Circuit Breaker 32a
LNK2-C140 : 1P Miniature Circuit Breaker 40a
LNK2-C150 : 1P Miniature Circuit Breaker 50a
LNK2-C163 : 1P Miniature Circuit Breaker 63a



Power : 230/400V 50Hz 6000A
LNK2-C206 : 2P Miniature Circuit Breaker 6a
LNK2-C210 : 2P Miniature Circuit Breaker 10a
LNK2-C216 : 2P Miniature Circuit Breaker 16a
LNK2-C220 : 2P Miniature Circuit Breaker 20a
LNK2-C225 : 2P Miniature Circuit Breaker 25a
LNK2-C232 : 2P Miniature Circuit Breaker 32a
LNK2-C240 : 2P Miniature Circuit Breaker 40a
LNK2-C250 : 2P Miniature Circuit Breaker 50a
LNK2-C263 : 2P Miniature Circuit Breaker 63a





Power : 400V 50Hz 6000A
LNK2-C306 : 3P Miniature Circuit Breaker 6a
LNK2-C310 : 3P Miniature Circuit Breaker 10a
LNK2-C316 : 3P Miniature Circuit Breaker 16a
LNK2-C320 : 3P Miniature Circuit Breaker 20a
LNK2-C325 : 3P Miniature Circuit Breaker 25a
LNK2-C332 : 3P Miniature Circuit Breaker 32a
LNK2-C340 : 3P Miniature Circuit Breaker 40a
LNK2-C350 : 3P Miniature Circuit Breaker 50a
LNK2-C363 : 3P Miniature Circuit Breaker 63a



Power : 400V 50Hz 6000A
LNK2-C406 : 4P Miniature Circuit Breaker 6a
LNK2-C410 : 4P Miniature Circuit Breaker 10a
LNK2-C416 : 4P Miniature Circuit Breaker 16a
LNK2-C420 : 4P Miniature Circuit Breaker 20a
LNK2-C425 : 4P Miniature Circuit Breaker 25a
LNK2-C432 : 4P Miniature Circuit Breaker 32a
LNK2-C440 : 4P Miniature Circuit Breaker 40a
LNK2-C450 : 4P Miniature Circuit Breaker 50a
LNK2-C463 : 4P Miniature Circuit Breaker 63a


Product Size





Red and green indicated by visual window


Avoid operating errors





7N. m high torque

Safe and convenient



T2 copper material is used for the energized circuit

Effectively improve safety and bid farewell to household electricity hazards



The shell is made of reinforced polyamide

The shell protection is IP20, and it is resistant to high temperatures, effectively improving safety

Leakage Circuit breaker



Power : 230V 50Hz 6000A

LNL2-106N : 1P+N Earth Leakage Circuit Breaker 6a
LNL2-110N : 1P+N Earth Leakage Circuit Breaker 10a
LNL2-116N : 1P+N Earth Leakage Circuit Breaker 16a
LNL2-120N : 1P+N Earth Leakage Circuit Breaker 20a
LNL2-125N : 1P+N Earth Leakage Circuit Breaker 25a
LNL2-132N : 1P+N Earth Leakage Circuit Breaker 32a
LNL2-140N : 1P+N Earth Leakage Circuit Breaker 40a
LNL2-150N : 1P+N Earth Leakage Circuit Breaker 50a
LNL2-163N : 1P +NEarth Leakage Circuit Breaker 63a



Power : 230V 50Hz 6000A

LNL2-206 : 2P Earth Leakage Circuit Breaker 6a
LNL2-210 : 2P Earth Leakage Circuit Breaker 10a
LNL2-216 : 2P Earth Leakage Circuit Breaker 16a
LNL2-220 : 2P Earth Leakage Circuit Breaker 20a
LNL2-225 : 2P Earth Leakage Circuit Breaker 25a
LNL2-232 : 2P Earth Leakage Circuit Breaker 32a
LNL2-240 : 2P Earth Leakage Circuit Breaker 40a
LNL2-250 : 2P Earth Leakage Circuit Breaker 50a
LNL2-263 : 2P Earth Leakage Circuit Breaker 63a




Power : 400V 50Hz 6000A

LNL2-306 : 3P Earth Leakage Circuit Breaker 6a
LNL2-310 : 3P Earth Leakage Circuit Breaker 10a
LNL2-316 : 3P Earth Leakage Circuit Breaker 16a
LNL2-320 : 3P Earth Leakage Circuit Breaker 20a
LNL2-325 : 3P Earth Leakage Circuit Breaker 25a
LNL2-332 : 3P Earth Leakage Circuit Breaker 32a
LNL2-340 : 3P Earth Leakage Circuit Breaker 40a
LNL2-350 : 3P Earth Leakage Circuit Breaker 50a
LNL2-363 : 3P Earth Leakage Circuit Breaker 63a



Power : 400V 50Hz 6000A


LNL2-306N : 3P+N Earth Leakage Circuit Breaker 6a
LNL2-310N : 3P+N Earth Leakage Circuit Breaker 10a
LNL2-316N : 3P+N Earth Leakage Circuit Breaker 16a
LNL2-320N : 3P+N Earth Leakage Circuit Breaker 20a
LNL2-325N : 3P+N Earth Leakage Circuit Breaker 25a
LNL2-332N : 3P+N Earth Leakage Circuit Breaker 32a
LNL2-340N : 3P+N Earth Leakage Circuit Breaker 40a
LNL2-350N : 3P+N Earth Leakage Circuit Breaker 50a
LNL2-363N : 3P+N Earth Leakage Circuit Breaker 63a



Power : 400V 50Hz 6000A

LNL2-406 : 4P Earth Leakage Circuit Breaker 6a
LNL2-410 : 4P Earth Leakage Circuit Breaker 10a
LNL2-416 : 4P Earth Leakage Circuit Breaker 16a
LNL2-420 : 4P Earth Leakage Circuit Breaker 20a
LNL2-425 : 4P Earth Leakage Circuit Breaker 25a
LNL2-432 : 4P Earth Leakage Circuit Breaker 32a
LNL2-440 : 4P Earth Leakage Circuit Breaker 40a
LNL2-450 : 4P Earth Leakage Circuit Breaker 50a
LNL2-463 : 4P Earth Leakage Circuit Breaker 63a

Product Size




breadth (mm)	specification				
	1P+N	2P	3P	3P+N	4P
L1	36±0.50	36±0.50	49.5±0.50 ±.00.500.00.0.50	63±0.60	63±0.60
Lmax	54	72	104	117	135

Wireless Power Strip with USB

Products pass SQM,SASO




Power strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection




One-button dual-pole master control for safer operation - switch TUV certified




Child-proof protection gates - stops accidental insertion and shocks



Flame-retardant PC material resistant to 850°C high temperature



TPC-3F3-USB/15-WH
Power : 15W



TPC-3F3-USB/20-WH
Power : PD20W




TPC-3F3-USB/20-GY
Power : PD20W




TPC-3F3-USB/15-GY
Power : 15W



Power strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks



Base with 10 soft silicone anti-slip points for high-efficiency grip.

Power strip

Products pass SQM, SASO

.With double pole switch, Mechanical press type
.PC materials ,Skin maat touch feeling
.Cable length 2/5m for opeitons ,cable pass certificate



XPC-3F6-USB/65-WH
Power : PD65W



XPC-3F6-USB/65-GY
Power : PD65W




Multi-Outlet Power Strip with cable

Products pass SQM,SASO



Power strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks



Base with 4 soft silicone anti-slip points for high-efficiency grip.



LPC-3F6-USB/65-WH
Power : PD65W



LPC-3F6-USB/65-GY
Power : PD65W




Power strip

Products pass SQM, SASO

.With double pole switch, Mechanical press type
.PC materials ,Skin maat touch feeling
.Cable length 2/5m for opeitons ,cable pass certificate




Power strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks



Base with 10 soft silicone anti-slip points for high-efficiency grip.



Power strip





XPC-3F4-USB/20-WH
Power : PD20W



XPC-3F4-USB/20-GY
Power : PD20W



XPC-3F4-USB/15-WH
Power : 15W



XPC-3F4-USB/15-GY
Power : 15W

